

SUBJECT INDEX
CHAIN SAW SECTION

Subject

<u>BAR</u>	<u>Date of Memo</u>	<u>Memo Number</u>
BOW - Attachments	1-26-55	24-CS
BOW - Guides - Hard Surfaced	6-3-54	125
BAR - Guide Homelite, General, Oregon	5-21-56	93-CS
BOW - Attachment - New solid 14" EZ & 5-20	2-5-57	130-CS
BAR - Guide - Satin Chrome finish	5-15-57	150-CS
Clearing Attachments A-55379, A-56169	8-16-57	167-CS
Clearing Attachments A-55379, *A-56169, *A-56169-A	10-25-57	175-CS
New Sprocket & Bars for 4-20 Chain Saws	11-28-58	222-CS

Courtesy of undee70ss
Do Not Sell or Reproduce

SUBJECT INDEX
CHAIN SAW SECTION

Subject

Date
of Memo

Memo
Number

CHAIN

CHAIN - Adjusting
CHAIN - Important
CHAIN - Reference

12-9-54
3-23-56
7-9-56

19-CS
79-CS
99-CS

Courtesy of undee70ss
Do Not Sell or Reproduce

SUBJECT INDEX
CHAIN SAW SECTION

<u>Subject</u>	<u>Date of Memo</u>	<u>Memo Number</u>
<u>DRIVE</u>		
HANDLE BAR BRACE for 5-30N Saws	8-11-55	51-CS
SCREWS - Loose Screws on Chain Saws	12-1-54	15-CS
SPROCKET FLANGE - Model 5-30	10-25-54	8-CS
SPROCKET - 9/16" Pitch Solid 5-30	6-3-55	44-CS
SPROCKET - Homelite & Oregon Chain	5-11-55	40-CS
New Clutch Cover for EZ (55659-A)	5-4-56	88-CS
Screws, Driven Gear	10-5-56	112-CS
Screws, Driven Gear	12-4-56	124-CS
Sprocket - 1/2" pitch for direct drive saws	6-19-57	152-CS
Sprocket - Shaft & Sprocket Pulley for 7-29 & 5-30	7-2-57	160-CS
Thrust Washer - Correction of Parts List 23218-2	10-25-57	176-CS
Sprocket Keys & Clutch Spider Keys	1-7-58	181-CS
Gear Ratios in Homelite Gear Drive Saws	2-28-58	184-CS
Sprocket Shaft Bearing 6-22 & 7-21	8-20-58	205-CS
New Drive for 5-30 Chain Saws (Dealer Also)	8-20-58	207-CS
Sprocket & Drum for Direct Drive Saws	10-24-58	217-CS
New Sprocket & Bars for 4-20 Chain Saws	11-28-58	222-CS

Courtesy of Under70.com
 Do Not Sell or Reproduce

SUBJECT INDEX
CHAIN SAW SECTION

<u>Subject</u>	<u>Date of Memo</u>	<u>Memo Number</u>
<u>ENGINE</u>		
CONNECTING RODS	10-13-55	55-CS
SCREWS - for Exhaust Flange Cap on Model 17 & 5-20	1-27-56	72-CS
SPRING - Governor - 17 Saw	7-14-54	153
Seals - Installation of	3-19-56	78-CS
Cylinder Breakage	4-13-56	85-CS
Reed Valve Assembly	4-17-56	86-CS
Reed Assembly - Wrong Number	11-19-56	120-CS
Governor & Shaft (new 7-29)	11-23-56	122-CS
Governor & Shaft (new 7-29) & Rod	2-21-57	132-CS
Governor Spring 6-22	7-10-57	163-CS
Chain Saw Service	11-19-57	177-CS
New Exhaust Cap (56396), New Heat Damper (55506-A)	7-8-58	201-CS
New Cylinder for 4-20 C/S: 55491 supersedes 55000-B	1-12-59	233-CS

Courtesy of unicee7053
 Do Not Sell or Reproduce

SUBJECT INDEX
CHAIN SAW SECTION

<u>Subject</u>	<u>Date of Memo</u>	<u>Memo Number</u>
<u>FUEL</u>		
CARBURETOR - Diaphragm Pump - 17	8-16-54	171
CARBURETORS - Diaphragm Pump - for Models 17, 5-30N & 5-20	12-15-55	67-CS
FADES IN A CUT - What You Should Do If a Saw	12-13-55	65-CS
STRAINER - Fuel Outlet	2-21-55	28-CS
Fuel Outlet Strainer	5-16-55	28a
Felt Filters, P/N 73872	6-15-55	28b
Screen for 7-29 Fuel Pump	7-13-56	100-CS
Fuel Supply - New Carburetor - Model 17	9-5-56	106-CS
Valve, Fuel Cap (#60 Drill)	10-15-56	114-CS
Carburetor Lever Adjustment (swelling)	11-9-56	118-CS
Fuel Pump Kit (L Type 17 & 5-20)	11-16-56	119-CS
Intake Manifold - 7-29 (74386-A)	4-3-57	140-CS
Gasket Location, Main Diaphragm	5-15-57	146-CS
Inlet Needle & Seat Ass'y for Brown Carburetor	6-20-57	154-CS
Throttle Damping Spring P/N 56175 for A-56066, A-56067, A-55928 & A-55928-1	6-27-57	156-CS
Brown Carburetors	8-1-57	165-CS
Fuel Cap Valves, All Chain Saws	3-17-58	185-CS
Fuel Outlet Strainer	5-2-58	191-CS
How NOT to let fuel systems "fuel" you.	7-17-58	203-CS
Fuel Outlet Fitting, Part No. 55572-A	8-7-58	204-CS
Air Filters	9-11-58	210-CS
Fuel Tank & Mounting: Gear Driven Saws	11-4-58	220-CS
Brown Carburetors - Inlet Needle & Seats - Repair Kits	11-11-58	221-CS

SUBJECT INDEX
CHAIN SAW SECTION

<u>Subject</u>	<u>Date of Memo</u>	<u>Memo Number</u>
<u>IGNITION</u>		
CONNECTOR - Spark Plug Spring & Cover	9-17-54	3-CS
LEAD - Hi-Tension & Toggle Switch - 26LCS	9-10-51	154
MAGNETO BACKPLATE (for Wico Magneto) A-55406	12-7-55	64-CS
MAGNETOS - Alternate (Wico & Phelon) Model 17	6-3-55	43-CS
SPARK PLUG - Change to HO-8-A for 17	9-17-54	4-CS
Coil Wico - Internal ground (55403)	4-3-57	138-CS
Magneto - large EZ-6 (Parts List for EZ-6)	7-10-57	162-CS

Courtesy of undee70ss
Do Not Sell or Reproduce

SUBJECT INDEX
CHAIN SAW SECTION

<u>Subject</u>	<u>Date of Memo</u>	<u>Memo Number</u>
<u>MOUNTING PARTS</u>		
BOW ATTACHMENTS - Mounting - on Model 5-20 & 17	10-18-55	57-CS
BOW ATTACHMENTS - Stocking of	10-21-55	59-CS
Bow Attachment - Model 17 & 5-20 (Screw)	5-11-56	89-CS
Pan Head Spinlock Screws	9-10-56	108-CS
Air Shroud (same for belt drive saws)	1-2-57	125-CS

Courtesy of undee70ss
Do Not Sell or Reproduce

SUBJECT INDEX
CHAIN SAW SECTION

Subject

Date
of Memo

Memo
Number

OILER

CHAIN OILER - on Model 17 & 5-20
OILER - Model 17
SPRING - Oil Pump Check Valve
Oil Pickup Tube
Chain Oiler Model 17 & 5-20

10-21-55
5-25-55
10-25-54
4-2-56
4-10-56

58-CS
42-CS
9-CS
82-CS
84-CS

Courtesy of undee70ss
Do Not Sell or Reproduce

SUBJECT INDEX
CHAIN SAW SECTION

<u>Subject</u>	<u>Date of Memo</u>	<u>Memo Number</u>
<u>STARTER</u>		
RECOIL SPRING TENSION	10-12-55	56-CS
Ratchet Hub Screw	10-1-56	111-CS
Remedy for Sticky Starter	10-22-56	115-CS
New Recoil Spring & Ball Drive for Homelite C/S	10-30-58	218-CS
Ball Drive Assemblies	12-2-58	223-CS

Courtesy of undee70ss
Do Not Sell or Reproduce

SUBJECT INDEX
CHAIN SAW SECTION

Subject

MISCELLANEOUS

	<u>Date of Memo</u>	<u>Memo Number</u>
Brush Cutter Maintenance	2-20-57	131-CS
Model BC, Brush Cutter	5-15-57	148-CS
Unit Designations	9-27-57	170-CS
Brush Cutter, EZ - Installation	10-4-57	173-CS
Spiked Bumpers for ZIP Chain Saws	10-6-58	214-CS
New Shipping Cartons for 4-20, 4-20A, 7-21, 7-21G, 7-21A, 7-21GA, 7-19, 7-19A	12-11-58	226-CS
How to package handles in chain saw cartons	12-22-58	226a-CS

Courtesy of undee70ss
Do Not Sell or Reproduce

February 12, 1959

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
A.		
Adjusting Chain	12-9-54	19CS
Air Filters	9-11-58	210CS
Air Shroud (same for belt drive saws)	1-2-57	125CS
Assembly, Reed Valve	4-17-56	86CS
Assembly, Reed - wrong number	11-19-56	120CS
Attachments:		
Bow	1-26-55	24CS
Bow - Mounting on 5-20, 17	10-18-55	57CS
Bow - Model 17, 5-20 (Screw)	5-11-56	89CS
Bow - Stocking of	10-21-55	59CS
Bow - New solid 14" - EZ, 5-20	2-5-57	130CS
Clearing - A-55378, A-56169	8-16-57	167CS
Clearing - A-55379, A-56169, A-56169-A	10-25-57	175CS

Courtesy of undee7033
Do Not Sell or Reproduce

February 12, 1959

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
B.		
Backplate, Magneto (for Wico Magneto) A-55406	12-7-55	64CS
Ball Drive Assemblies	12-2-58	223CS
Ball Drive and New Recoil Spring for Chain Saws	10-30-58	218CS
Bar:		
Guide, Homelite, General, Oregon	5-21-56	93CS
Guide, Satin Chrome Finish	5-15-57	150CS
Handle Brace for 5-30N	8-11-55	51CS
New Sprockets for 4-20	11-28-58	222CS
Bearing - Sprocket Shaft for 6-22, 7-21	8-20-58	205CS
Boro Attachments:	1-26-55	24CS
Mounting on 5-20, 17	10-18-55	57CS
Model 17, 5-20 (Screw)	5-11-56	89CS
Stocking of	10-21-55	59CS
New Solid 14" for EZ, 5-20	2-5-57	130CS
Bow Guides - Hard Surfaces	6-3-54	125
Brace - Handle Bar for 5-30N	8-11-55	51CS
Breakage, Cylinder	4-13-56	85CS
Brown Carburetors:	8-1-57	165CS
Inlet Needles & Seat Repair Kits	11-11-58	221CS
Inlet Needle & Seat Assembly	6-20-57	154CS
Brush Cutter, Model BC	5-15-57	148CS
Brush Cutter, EZ - Installation	10-4-57	173CS
Brush Cutter Maintenance	2-20-57	131CS
Bumpers, Spiked for ZIP Chain Saws	10-6-58	214CS

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
D.		
Damper, New heat (55506-A), New exhaust cap (56396)	7-8-58	201CS
Designations, Unit	9-27-57	170CS
Direct Drive Saw, 1/2" pitch Sprocket	6-19-57	152CS
Drive, Ball Assemblies	12-2-58	223CS
Drive, New for 5-30	8-20-58	207CS
Driven Gear Screws	10-5-56	112CS
Driven Gear Screws	12-4-56	124CS
Drum, Sprocket and for Direct Drive Saws	10-24-58	217CS

Courtesy of undee70ss
Do Not Sell or Reproduce

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
E.		
EZ Brush Cutter, Installation	10-4-57	173CS
Exhaust Cap, New (56396), New heat damper (55506-A)	7-8-58	201CS
Exhaust Flange Cap Screws for 17, 5-20	1-27-56	72CS

Courtesy of undee70ss
Do Not Sell or Reproduce

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
F.		
Fades in a cut, What you should do if a saw	12-13-55	65CS
Felt Filters, P/N 73872	6-15-55	28BCS
Filters, Air	9-11-58	210CS
Flange, Sprocket on 5-30	10-25-54	8CS
Fuel:		
Cap Valve (#60 Drill)	10-15-56	114CS
Cap Valves, All Chain Saws	3-17-58	185CS
Outlet Strainer	2-21-55	28CS
Outlet Strainer	5-16-55	28ACS
Outlet Strainer	5-2-58	191CS
Outlet Fitting, Part No. 55572-A	8-7-58	204CS
Pump Screen for 7-29	7-13-56	100CS
Pump Kit (L type 17, 5-20)	11-16-56	119CS
Supply - New carburetor, 17	9-5-56	106CS
Systems, How not to let fuel systems, "fuel" you	7-17-58	203CS
Tank and Mounting for Gear Driven Saws	11-4-58	220CS

Courtesy of Under709
 Do Not Sell or Reproduce

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
G.		
Gasket Location, Main Diaphragm	5-15-57	146CS
Gear, Driven - Screws	10-5-56	112CS
Gear, Driven - Screws	12-4-56	124CS
Gear Ratus in Homelite Gear Driven Saws	2-28-58	184CS
General Guide Bar, also Homelite Oregon	5-21-56	93CS
Governor:		
and Shaft (7-29)	11-23-56	122CS
and Shaft and Rod (7-29)	2-21-57	132CS
Spring - 6-22	7-10-57	163CS
Spring - 17	7-14-54	153
Guide Bar, Homelite, General, Oregon	5-21-56	93CS
Guide Bar, Satin Chrome Finish	5-15-57	150CS
Guide, Bow - Hard Surfaced	6-3-54	125

Courtesy of undee7055
Do Not Sell or Reproduce

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
H.		
Handle Bar Brace for 5-30N	8-11-55	51CS
Handles, How to Package in new chain saw carton	12-22-58	226a-CS
Hard surfaced Bow Guide	6-3-54	125
Homelite Guide Bar, also General, Oregon	5-21-56	93CS
Homelite Gear Driven Saws - Ratios	2-28-58	184CS
Homelite and Oregon Chain Sprockets	5-11-55	40CS
How NOT to let fuel systems "fuel" you	7-17-58	203CS

Courtesy of undee70ss
Do Not Sell or Reproduce

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
I.		
Inlet Needle & Seat Assy. for Brown Carburetors	6-20-57	154CS
Inlet Needle & Seats, Repair kits for Brown Carburetors	11-11-58	221-CS
Installation, EZ Brush Cutter	10-4-57	173CS
Intake Manifold 7-29 (74386-A)	4-3-57	140CS
Internal Ground, Wico Coil (55403)	4-3-57	138CS

Courtesy of undee70ss
Do Not Sell or Reproduce

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
K.		
Keys, Sprocket & Clutch Spider	1-7-58	181CS

Courtesy of undee70ss
Do Not Sell or Reproduce

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
L.		
Lead, Hi-Tension and Toggle Switch 26LCS	9-10-51	154
Level Adjustment, Carburetor	11-9-56	118CS
Loose Screws on Chain Saws	12-1-54	15CS

Courtesy of undee70ss
Do Not Sell or Reproduce

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
M.		
Magneto - EZ-6	7-10-57	162CS
Magneto, Alternate (Wico and Phelon) 17	6-3-55	43CS
Magneto Backplate (for Wico Magneto) A-55406	12-7-55	64CS
Main Diaphragm Gasket Location	5-15-57	146CS
Maintenance, Brush Cutter	2-20-57	131CS
Manifold Intake - 7-29 (74386-A)	4-3-57	140CS
Mounting Bow Attachments on 5-20, 17	10-18-55	57CS
Mounting Fuel Tank - Gear Driven Saws	11-4-58	220CS

Courtesy of undee70ss
Do Not Sell or Reproduce

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
N.		
New: Cylinder for 4-20 - 55491 supersedes 55000-B	1-12-59	233CS
Drive for 5-30 Chain Saws	8-20-58	207CS
Exhaust Cap (56396), and Heat Damper (55506-A)	7-8-58	201CS
Recoil Spring and Ball Drive for Chain Saws	10-30-58	218CS
Sprocket and Bars for 4-20	11-28-58	222CS

Courtesy of undee70ss
Do Not Sell or Reproduce

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
O.		
Oil:		
Chain, Model 17, 5-20	4-10-56	84CS
Pickup Tube	4-2-56	82CS
Pump Check Valve Spring	10-25-56	9CS
Oiler:		
Chain, Models 17, 5-20	10-21-55	58CS
Model 17	5-25-55	42CS
Oregon:		
Guide Bar	5-21-56	93CS
Sprockets, and Homelite	5-11-55	40CS
Outlet:		
Fuel Fitting, Part No. 55572-A	8-7-58	204CS
Fuel Strainer	2-21-55	28CS
Fuel Strainer	5-16-55	28a-CS
Fuel Strainer	5-2-58	191CS

Courtesy of undee7055
Do Not Sell or Reproduce

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
P.		
Packaging Handles in new Chain Saw Carton	12-22-58	226a-CS
Pan Head Spinlock Screws	9-10-56	108CS
Pulley, Shaft and Sprocket for 7-29, 5-30	7-2-57	160CS
Pump, Fuel Kit (L type 17, 5-20)	11-16-56	119CS
Pump, Screen for fuel 7-29	7-13-56	100CS

Courtesy of undee70ss
Do Not Sell or Reproduce

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
R.		
Ratchet, Hub Screw	10-1-56	111CS
Ratios, Gear, in Homelite Gear Driven Saws	2-28-58	184CS
Recoil Spring Tension	10-12-55	56CS
Recoil Spring and Ball Drive for Saws	10-30-58	218CS
Reed Valve Assembly	4-17-56	86CS
Reed Valve Assembly - Wrong number	11-19-56	120CS
Reference, Chain	7-9-56	99CS
Remedy for Sticky Starter	10-22-56	115CS
Repair Kits, Inlet Needle & Seat - Brown Carburetor	11-11-58	221CS
Rods, Connecting	10-13-55	55CS
Rod, Governor and Shaft (7-29)	2-21-57	132CS

Courtesy of undee7055
Do Not Sell or Reproduce

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
S.		
Screen for 7-29 Fuel Pump	7-13-56	100CS
Screws:		
Driven Gear	10-5-56	112CS
Driven Gear	12-4-56	124CS
Exhaust Flange Cap on 17, 5-20	1-27-56	72CS
Loose on Chain Saws	12-1-54	15CS
Ratchet Hub	10-1-56	111CS
Seals, Installation of	3-19-56	78CS
Service, Chain Saw	11-19-57	177CS
Shaft and Governor (7-29)	11-23-56	122CS
Shaft and Governor and Rod (7-29)	2-21-57	132CS
Shaft, Sprocket Bearing, 6-22, 7-21	8-20-58	205CS
Shaft and Sprocket Pulley for 7-29, 5-30	7-2-57	160CS
Shroud, Air (Same for belt drive saws)	1-2-57	125CS
Shipping Cartons, New for 4-20, 7-19, 7-21	12-11-58	226CS
Spark Plug - Change to HO-8A for 17	9-17-54	4CS
Spark Plug Spring and Cover Connector	9-17-54	3CS
Spinlock Screw, Pan Head	9-10-56	108CS
Spiked Bumpers for ZIP Chain Saws	10-6-58	214CS
Spring:		
Oil Pump Check Valve	10-25-54	9CS
Recoil Tension	10-12-55	56CS
Governor, Model 17	7-14-54	153
Governor, Model 6-22	7-10-57	163CS
Throttle Damping, 56175 for A-56066 A-56067, A-55928, A-55928-1	6-27-57	156CS
Sprocket:		
New and new Bar for 4-20	11-28-58	222CS
Flange - Model 5-30	10-25-54	8CS
9/16" Pitch, Solid - 5-30	6-3-55	44CS
Homelite and Oregon Chain	5-11-55	40CS
1/2" Pitch for Direct Drive Saw	6-19-57	152CS
Shaft and Pulley for 7-29, 5-30	7-2-57	160CS
Keys and Clutch Spider Keys	1-7-58	181CS
Shaft Bearing - 6-22, 7-21	8-20-58	205CS
and Drums for Direct Drive Saws	10-24-58	217CS
Sticky Starter Remedy	10-22-56	115CS
Strainer, Fuel Outlet	2-21-55	28CS
Strainer, Fuel Outlet	5-2-58	191CS
Strainer, Fuel Outlet	5-16-55	28A-CS

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
T.		
Tank, Fuel and Mounting - Gear Driven Saws	11-4-58	220CS
Tension, Recoil Spring	10-12-55	56CS
Throttle Damping Spring - 56175 for A-56066 A-56067, A-55928, A-55928-1	6-27-57	156CS
Thrust Washer - Correction of Parts List 23218-2	10-25-57	176CS
Tube, Oil Pickup	4-2-56	82CS

Courtesy of undee70ss
Do Not Sell or Reproduce

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
U. Unit Designations	9-27-57	170CS

Courtesy of undee70ss
Do Not Sell or Reproduce

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
V.		
Valve:		
Fuel Cap	3-17-58	185CS
Fuel Cap (#60 Drill)	10-15-56	114CS
Reed Assembly	4-17-56	86CS

Courtesy of undee70ss
Do Not Sell or Reproduce

CHAIN SAW SERVICE MEMO
ALPHABETICAL INDEX

<u>Subject</u>	<u>Date</u>	<u>Memo No.</u>
W.		
Washer, Thrust - Correction of Parts List 23218-2	10-25-57	176CS
Wico Coil with Internal Ground (55403)	4-3-57	138CS

Courtesy of undee70ss
Do Not Sell or Reproduce