





HOMELITE[®] JACOBSEN



CHAIN SAWS

Electric and Gasoline Powered

Most first time buyers choose Homelite chain saws over any other saw. Their carefully balanced design and light weight make them extremely easy to handle. And when used and maintained properly,

they'll provide you with years of dependable performance. These saws are excellent for limbing, pruning, felling, around the home, the farm, or in the deep forest.




Nimble, lightweight Homelite light duty chain saws offer the kind of maneuverability that makes them perfect for limbing and pruning.

ELECTRICS: Our most economical saw the XEL is powerful enough to cut small to medium-size trees yet it weighs only 8-3/4 lbs. (3.9 kg.). Uncomplicated, reliable, Homelite Electric Chain Saws are double-insulated for added protection. They are available in sizes from 10" to 14" (25 - 35 cm) and are C.S.A approved.

Semi-chisel safety saw chain substantially reduces kickback intensity, compared to conventional saw chains.

Front handguard & Safety Brake.

Fuel and oil receptacles positioned for easy refilling.



Built-in bumper spike.


SAFE-T-TIP anti-kickback device protects you and your saw chain.

Power Tip® guide bar reduces friction for more cutting power.

GASOLINE POWERED: Rugged, lightweight, dependable the XL-12", XL/SL-14" and SUPER 2/SL-16" have all the quality features of our big saws, including chrome-plated cylinders for smoother operation and longer service life. These saws can go anywhere you go and are versatile enough for just about any cutting job you can imagine. The 240/SL and the 245/SL are both great saws for the active woodcutter. They feature Safety Brake, Solid State Ignition, a uniquely effective vibration-isolation system and automatic oiler. The 245 also incorporates a manual oiler for positive lubrication.

The latest additions to our chain saw line, Models 47 and 54 have

become very rapidly the favorite choice of the Canadian farmer and professional alike. Advance design is loaded with features that improve efficiency, comfort, performance and convenience. Available with sprocket nose bars of 16", 18" or 20" (40, 45, 50 cm) they feature, light weight, solid state ignition, vibration isolation, safety brake, rubber coated handle bar, throttle latch, conveniently located re-usable air filter, Softone muffler and adjustable automatic oiler.



The cylinders in the Homelite® two-cycle engine are chrome-plated to provide smoother operation and longer engine life.

Flush-cut handlebar provides sure, comfortable grip for close-cutting positions.

Manual oiler for heavy cutting conditions.

Handle positioned to provide maximum leverage and control.

On/off switch conveniently located.

Hydrin isolators cushion vibrations caused by engine and cutting process for maximum comfort.

On/off switch located for easy operation.

THE 750 SAW

The most powerful chain saw in the Homelite line, the 750 accommodates guide bars from 20" to 43" (50 to 109 cm).

THE SXL922 SAW

A popular time-tested professional model with 16" to 30" (40 to 71 cm) guide bars.

Models XL-76 and VI-130 are great for felling larger trees and when large amounts of firewood need to be cut on a regular basis. Powerful and reliable, these saws are preferred by active woodcutters, homeowners, professional tree services, farmers and other people who want professional performance in lightweight package. Available in lengths from 16" to 24"

(40 to 60 cm). Safety Brake is standard on VI-130/SL.

One tough customer...the 35/SL saw has actually become a popular saw with the pros. It features a 57.4 cc (3.5 cu.in.) engine that can tackle the most demanding cutting jobs. And it won't simply quit on you. Available with 16" to 28" (40 to 71 cm) guide bars. Safety brake is standard equipment.

The 410/SL, a precision-balanced professional chain saw is designed to provide exceptional handling power and reliability with a rugged 67 cc. (4.1 cu.in.) engine. It also features extremely low vibration and noise levels for greater comfort. It's powerful enough for felling yet light enough for use on the landing, it's engineered for easy service too. The 410/SL is available with 16" to 31" (40 to 78 cm) guide bars.

THE 550 SAW

A powerful high production saw with 16" to 36" (40 to 91 cm) guide bars. Also available with safety brake.



Professional woodcutters have come to rely on the day-to-day dependability of Homelite Pro saws.

CHAIN SAW ACCESSORIES

There are a variety of Homelite chain saw accessories to help you get the most out of your Homelite chain saw such as Homelite 2-cycle 32 to 1 engine oil, bar & chain oil, grease gun, file & guide, carry cases. Look and ask for them at your nearest Homelite dealer.

A WORD ABOUT SAFETY

Like any power tool, chain saws when used improperly can be dangerous. To maximize safety, all Homelite chain saws feature hand-guard or safety brakes and the exclusive SAFE-T-TIP anti-kick back device, which totally eliminates kickback. Other Homelite safety products include: goggles, safety hats, ear protectors and face shields.



When used and maintained properly, a Homelite chain saw will provide you with years of dependable, low-maintenance service.

CHAIN SAWS

Electric and Gasoline Powered

CHAIN SAW SPECIFICATIONS*

		ELECTRIC			GASOLINE				
MODEL		XEL-10	XEL-12	XEL-14	XL®	XL/SL	SUPER 2/SL	240SL	245SL
Weight (less bar and chain)	Lbs-oz/Kg	7.7/3.4	8.2/3.7	8.2/3.7	7.8/3.5	8.2/3.7	8.2/3.7	9.12/4.1	10.1/4.5
Automatic Chain Oiling					•	•	•	•	•
Manual Oil Pump		•	•	•					•
Handle Bar	Thermoplastic				•	•		•	•
	Thick Rubber Coated		•	•			•		
	Easy Grip	•							
Bar Sizes (in./cm)		10/25	12/30	14/35	12/30	14/35	16/40	16/40	16/40
Chain Series	91 3/8P	•	•	•	•	•		•	
	72-76 3/8P								
	Other								.325P
Displacement	cu.in.				1.6	1.6	1.9	2.4	2.4
	cc.				26.2	26.2	31.1	39.3	39.3
Amperage		11	11	11					
Anti-Vibration								•	•
Electronic Solid-State Ignition		N/A	N/A	N/A	•	•	•	•	•
Fuel Capacity (ounces/mL)		N/A	N/A	N/A	10.2/301	10.2/301	10.2/301	15.2/449	15.2/449
Chain Oil Capacity (ounces/mL)		4.0/118	4.0/118	4.0/118	6.1/180	6.1/180	6.1/180	7.8/230	7.8/230
SAFE-T-TIP Anti-Kickback Device		•	•	•			•	•	•
Chain Brake							•	•	•

* SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



47	54	330SL	XL76	VI 130SL	35SL	410SL	550	750	SXL922
11.4/5.2	11.4/5.2	12.8/5.8	12.8/5.8	14.3/6.4	15.4/6.9	15.14/6.9	18.6/8.4	23.0/10.4	18.1/8.2
•	•	•	•	•	•	•	•	•	•
			•	•		•	•	•	•
•	•	•	•	•	•	•	•	•	•
16-18/40-46	16-20/40-50	16-24/40-60	16-24/40-60	16-24/40-60	16-28/40-71	16-31/40-78	16-36/40-91	20-43/50-109	16-28/40-71
	•	•	•	•	•	•	•	•	•
.325P								.404P	
2.9	3.3	3.3	3.55	3.55	3.5	4.1	5.1	6.8	5.0
47	54.1	54.1	58.1	58.1	57.4	67.0	84.0	112.0	81.0
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
26.3/777	26.3/777	16.6/490	21.9/647	21.9/647	23.3/689	24.0/709	31.0/916	42.0/1.4L	34.3/1.1L
16.7/493	16.7/493	8.0/236	6.7/198	6.7/198	10.1/298	12.0/354	17.0/502	18.0/532	12.2/360
•	•	•	•	•	•	•	•	•	•
•	•	•	OPT	•	•	•	OPT	OPT	OPT



STRING TRIMMERS

Electric and Gasoline Powered

Light-Duty Homelite Electrics


Dependable, convenient Homelite® electric string trimmers are great for light yard work. Just plug them into an electrical outlet and you're ready to go.

All three models are double insulated for added protection and are CSA approved. They also feature an automatic line advance system. You simply press the

trigger, release it, then press again and the exact amount of line automatically advances as needed.

THE ST-20

The lightest of all string trimmers in the Homelite line. The ST-20 weighs only 3-1/3 lbs. It features a unique handle that permits one-handed operation, a dependable 2.0 amp motor and a convenient 10" cutting swath.



It only takes one hand to operate the ST-20 trimmer.

THE ST-40

Its strong 3.3 amp motor and 14" cutting swath have made the ST-40 a popular clean-up tool around the garden and yard. Hand grip is fully adjustable for maximum comfort.

THE ST-60

At only 6 lbs. the ST-60 is the lightest 4.0 amp trimmer available. It has an especially convenient 16" cutting swath and a fully adjustable hand grip for maximum comfort.

Gasoline-Powered

Great for medium to heavy yard work, these lightweight powerful performers can go wherever you go.

They're highly maneuverable, easy and comfortable to operate.



And every model features a convenient E-Z-Line™ or automatic advance system.

With E-Z-Line you just tap the bottom of the unit on the ground to feed the exact amount of line as needed.

Medium Duty

ST-160 - ST-180

Models ST-160 and ST-180 with their 26.2 cc. engine have power to spare. They are lightweight and their precision balance design makes them surprisingly easy to handle. They feature automatic string advance and 17" cutting swath.

260

A similar version of the 160 the 260 features a rugged 26.2 cc. engine and 17" dual-line cutting swath. Also has E-Z-Line advance system.

310

Our most powerful medium-duty trimmer features a reliable 31.1 cc. engine, 18" dual-line cutting swath, E-Z-Line advance system, comfort strap and fully cushioned handles for more comfortable operation.

Heavy Duty

THE ST-200
TRIMMER/BRUSHCUTTER

Our most powerful flex-shaft trimmer. The ST-200 has a 31.1 cc. engine that can tackle the tallest grass and weeds. And it can be converted easily into a powerful brushcutter when used with the optional Brushcutter Head and accessory Saw Tooth or Tri-Arc™ blades. Comes with comfort strap, too.

Rugged 1 hp 26.2cc
Homelite® 2-cycle engine.

Powerful 24.0cc 2-cycle engine.

Throttle controls engine speed.

Convenient J-handle with throttle control.

Exclusive adjustable de-vibe handle provides operator comfort.

Heavy duty pro-style straight shaft.

MODEL 260

17-inch cutting swath

HK-24

E-Z-Line™ advance system provides line quickly.

Dual .080 premium line.

Dual .095 heavy duty line.



Its well-balanced design makes the ST-200 comfortable and easy to handle.

HK-24

TRIMMER/BRUSHCUTTER

Straight shaft trimmer/brushcutter mows down tall weeds and grass in a hurry. Also handles brush and small saplings. Features solid-state ignition for easy starting, powerful 24.0 cc. engine, adjustable shoulder strap, standard 10"x4" tooth metal blade and 18" dual-line cutting swath.

HK-33 BRUSHCUTTER

Tough, durable brushcutter built for the professional. Handles saplings up to 3" in diameter. Features solid-state ignition, power-packed 33.3 cc. engine, heavy-duty pro-style straight shaft, adjustable harness, brush blade and saw blade.

We put more free time in your day.

STRING TRIMMERS

Electric and Gasoline Powered



Accessories



REPLACEMENT STRING.

Pre-wound with sturdy monofilament line. For all flex-shaft string trimmer models.

POWER BLOWER ATTACHMENT

Converts the ST-200 into a versatile blower. No tools are needed.

Output Velocity Weight
RPM Volume ity

Blower Attachment	7500 RPM	300 cfm	100 mph	19 oz
-------------------	----------	---------	---------	-------

BRUSHCUTTER HEAD.

Uses either Saw Tooth or Tri-Arc blades. It turns the ST-200 into a

STRING TRIMMER SPECIFICATIONS*

ELECTRIC LIGHT DUTY

GASOLINE MEDIUM DUTY

MODEL	ST-20	ST-40	ST-60	ST-160	ST-180
Amperage (amps)	2.0	3.5	4.0		
Line-Feed	Automatic	Automatic	Automatic	Automatic	Automatic
2-Cycle Air-Cooled 1-Cylinder-Engine				•	•
Displacement (cc)				26.2cc	26.2cc
Diaphragm Type Carburetor				•	•
Solid-State Ignition				•	•
Recoil-Type Starter				•	•
Fuel Mixture 32:1				•	•
Fuel Capacity (oz./mL)				19/561	19/561
Running Time (min.)				40-60	40/60
Line Cutting Swath (in./cm.)	10/25	14/35	16/40	17/43	17/43
Monofilament Line Diameter (in.)	.065	•	•	•	•
	.080	•	•	•	•
	.095	•	•	•	•
Weight (lb/kg)	3-1/3/1.5	5-1/2/2.5	6.0/2.7	9-3/4/4.2	10-1/2/4.7
Clutch					

*SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



yard maintenance tool that easily handles brush and small saplings.

SAW TOOTH BLADE.

Designed to handle larger saplings.

PATENTED TRI-ARC™ BLADE.

Reversible for longer life and easily sharpened with a flat file.

COMFORT STRAP.

Standard on the ST-180, 200, 310, HK-24 and HK-33.



How to select the right Homelite® string trimmer for your needs

ELECTRIC VS. GASOLINE

Generally, if you're trimming within 100 feet of an electrical outlet, and if all you're trimming is grass or light weeds, a Homelite electric string trimmer is all you need.

If you have to trim areas out of reach of a 100-foot extension cord, or if you have a heavier than normal growth to trim, you'll appreciate the flexibility of a Homelite gasoline-powered string trimmer.

LOOK AT WHAT YOU'LL BE TRIMMING

String trimmers can chop down

grass, weeds, small bushes and even small saplings, depending on which model you choose.

If all you'll ever be trimming is grass, a Homelite electric trimmer has all the power you need.





More demanding tasks call for more power. Our gasoline-powered trimmers are great for large areas of grass and heavier weeds.

And you can cut saplings up to 3" in diameter with our most powerful top-mounted model, the ST-200, and its brushcutter attachment.

We put more free time in your day.

HEAVY DUTY

260	310	ST-200	HK-24	HK-33
E-Z-Line	E-Z-Line	Automatic	Manual	Manual (opt)
•	•	•	•	•
26.2cc	31.1cc	31.1cc	24.0cc	33.3cc
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
19/561	19/561	19/561	17/502	23/680
35-45	35-45	40-60	40-60	40-60
Dual 17/43	Dual 18/45	20/50	Dual 18/45	Dual 18/45
•	•	•	•	•
9-3/4/4.4	10/4.5	13-1/4/6.0	14-1/4/6.4	18-3/4/8.5
•	•	•	•	•



Lea's Chainsaw Parts & Repairs
Do Not Sell or Reproduce

LAWN MOWERS

Push and Self-Propelled

The New Super Bagger® Mower.

The new Super Bagger Mower features a spacious three-bushel bag that allows you to make fewer stops between emptying. No other rear-bagging mower gives you a bigger bag. The bag is easy to empty, too. There are no snaps, folds or zippers to fumble with. And the bag reattaches in seconds.

You'll also appreciate one of the new features that made Canada's best lawn mower even better — an improved Briggs & Stratton engine. The new engine features a larger 1-1/2-quart fuel tank, first-pull starting, an automotive-type air filter for maximum protection and longer service intervals, electronic ignition and more.



The rear bag's large three-bushel capacity means you can mow longer between emptying stops.



The three-bushel bag is easy to use. To remove, just pull up on the handles. To empty, just press a button — and the bag opens wide. No snaps or zippers to slow you down. And the bag reattaches in seconds.

There's also a blade/brake/clutch mechanism on the new Super bagger Models SB21C and SB21PC that enables you to cut your lawn without repeated starts and stops of the lawn mower's engine. You only have to start this lawn mower once.



The blade/brake/clutch mechanism on Model SB21PC stops the blade — but not the engine — when you walk away from behind the mower. The blade is easily reengaged by pushing a lever located on the mower's handle.

And, of course, there's the push-button electric start feature on the Model S21P4E that makes starting a lawn mower about as easy as it can be.



If you can press a button, you can start the Model S21P4E. There are no keys to lose. No ropes to pull.

All Super Bagger models have an aerodynamically designed, cast aluminum, high-vacuum deck and 21-in. stabilized gull-wing blade, (the SB21C and SB21PC models come equipped with a 21-inch stabilized high-lift blade). This combination gives you tremendous suction power that stands grass up straight and tall. So you get a close, even cut for professional-looking results — even under high-moisture conditions.

You'll also like the sure-footed maneuverability of the Super Bagger mower. The big bag is out of the way — between the handles — to permit easy trimming in tight spots. There are no discharge chutes on the side of the deck to get in the way, either.



Rear wheel drive for superior traction and even mowing—traction gets even better as the bag fills.

Rust-resistant die-cast aluminum deck, aerodynamically designed for high-vacuum action.

Convenient on-handle Command Control system for easy access to starter and operating controls.

Adjustable handles for comfortable mowing.

Large reinforced three-bushel rear catcher—fast and easy to use.

Special oil system ensures that all bearing and other engine parts are thoroughly lubricated at all times.



Trimming is easy with the Super Bagger Mower, even in tight spots. Because the big bag is out of the way, between the handles. There are no side-discharge chutes to get in the way, either.

The Super Bagger mower has also been engineered to maintain its balance on all four wheels even when the bag is full. And its short overall length and light weight contribute to making this one of the easiest to handle of all bagging mowers.

Top mounted oil dipstick makes filling and draining a snap.

Improved 3-1/2-hp Briggs & Stratton engine with blade/brake/clutch mechanism, improved automotive-type air filter and larger 1-1/2-quart fuel tank.



The Super Bagger mower is engineered for compactness. Even the optional side-discharge chute has been designed to not get in the way when you're trimming in tight spots.

**THE NEW SUPER BAGGER®
MOWERS**

MODEL S21

The most economical Super Bagger model. A push-type mower with Rope Start and a rugged 3.5-hp engine.

MODEL S21P

A self-propelled version of the S21.

MODEL S21P4

A great mower for tough jobs like Bahia or St. Augustine grass. It's got a powerful 4-hp engine. Rope Start and more.

MODEL S21P4E

The easiest lawn mower to start in the industry. There's no rope to pull. All you have to do is press a button. The S21P4E comes with a powerful 4-hp engine, alternator and a 12-volt battery that should never need recharging. Also comes with a back-up rope starter.

MODEL SB21PC

Features a blade/brake/clutch mechanism that stops the blade from turning when you step from behind the mower, to empty the bag, or for any other reason. The engine, however, keeps running at all times. So you only have to start this mower once. The Model SB21PC mower is equipped with a 3-1/2-hp engine. Command Rope Start and more.

MODEL SB21C

A push version of the SB21PC (see specification on pgs. 14-15).



Large 8 x 1.75-inch wheels.

21-inch stabilized high-lift blade for superior lift and cutting action.

Quick-change wheel height adjusters—for quick and easy selection of mowing height between 1 and 3 inches in 1/2-inch increments.

LAWN MOWERS

Riding

The RMX™ Serie E Riding Mower

The RMX Series E riding mower is a powerful, rugged performer with a wide 30-1/2-inch cutting blade — it gets the big jobs done in a hurry. When you use the optional rear catcher, the innovative through-the-deck discharge system provides high vacuuming power for picking up pine needles and leaves, as well as grass clippings. It makes close trimming easier, too. Because there are no discharge chutes on the side of the deck to get in the way.



The compact through-the-deck discharge system allows you to use the optional rear catcher without sacrificing close trimming maneuverability.

The RMX Series E mower is comfortable and easy to use. It has responsive rack and pinion steering and a tight 30-inch radius for precise, easy handling.

Disc brakes provide smooth stopping. And the clutch and brake are separate to provide precise control under all conditions.

The RMX Series E mower also features a blade command control feature that's usually found only on higher priced tractors. The blade command feature is a two-step toggle mechanism that enables you to engage and disengage the blade simply by flipping a switch. An indicator light tells you when the blade is on.

Optional easy-to-attach rear catcher supports standard round trash can.

Five-speed gearbox.

Through-the-deck discharge system preserves the compactness of the RMX mower and provides high vacuuming action when the optional rear catcher is used.

30 1/2-inch high-lift blade.

There's also a fingertip deck height adjustment that's quick and easy to use — even on the go. The vinyl-covered foam rubber seat provides extra comfort, and the low profile of the RMX Series E mower makes getting on and off easy.



The RMX Serie E riding mower is lightweight compact and has a scaled battery, so you can easily and safely stand it on end for storage or servicing.

Reliable 8-hp Briggs & Stratton engine. (11-hp 1/C on the RMX 11E).

We put more free time in your day.

HOMELITE
JACOBSEN



Electric starter with on-board alternator. (Electric start models only).

Comfortable vinyl-covered foam rubber seat.

Rack and pinion steering with steering wheel for precise, easy handling.

Fingertip deck height adjustment for convenient cutting height selection, even on the move.

A blade command system provides blade control with the flip of a toggle switch.

Pivoting front axle helps prevent scalping.

Optional wheel weights available.

THE RMX 8

Most economical model. Has recoil start feature.

THE RMX 8E

With electric start feature. Also has recoil start feature.

THE RMX 11E

Deluxe model with electric start feature and a heavy-duty Industrial/Commercial Engine with cast-iron cylinder liners. Also has hardened valves, rotators and valve seats for improved durability and longer service life. Also has recoil start feature.



The optional rear catcher is attached easily without tools and allows you to use your own trash cans. Clippings can be discharged directly into trash can liners for easy disposal.



The unique blade command system allows you to engage and disengage the blade with the simple flip of a toggle switch. It's a feature found only on the RMX Series E mower and more expensive tractors.



The RMX Series E mower has five speeds for cutting and transporting, plus reverse. And the shift lever is conveniently located beside the seat.

LAWN MOWERS

Push and Self-Propelled

THE LAWN KING™ MOWERS

The Lawn King Rotary Power Mower gives you the durability of a heavy-gauge steel deck and the dependable power of a Briggs & Stratton engine, together with Homelite engineered maneuverability....all at surprisingly affordable prices.

The L-18

A 3 h.p. mower with an 18 inch cutting width, the L-18 is great for small lawns and trimming. It's a side discharge mower with an optional 1.6 bushel side grass catcher.

The L-20

A 3 h.p. push mower with a 20 inch cutting width and versatile 2-in-1 mowing side discharge or side bagging with an optional 1.6 bushel bag.

The L-20P

A self-propelled version of the L-20 with a 3-1/2 h.p. engine. The L-20P features rear wheel drive for better traction.

The L-21, L-21P

The 3-1/2 h.p. L-21 mower has a big 21-inch cutting width and a large 2 bushel polyester rear catcher with a reinforced bottom. The bag is placed out of the way — between the handles — so it won't interfere with close trimming.

There are two models of the Lawn King 21 mower, the L-21 is a push type mower, the L-21P is a self-propelled.

We put more free time in your day.

LAWN MOWER SPECIFICATIONS*

SUPER BAGGER®

MODEL		S21	S21P	S21P4	S21P4E	SB21C	SB21PC
Deck	Die-Cast Aluminum	•	•	•	•	•	•
	Stamped Steel						
Drive Type	Push	•				•	
	Self-Propelled		•	•	•		•
Briggs & Stratton® Engine	Horsepower	3.5	3.5	4	4	3.5	3.5
	Solid-State Ignition	•	•	•	•	•	•
Starter	Rope Start	•	•	•	•	•	•
	Push-Button Electric Start				•		
Fuel Tank qts/litres		1-1/2/1.4	1-1/2/1.4	1-1/2/1.4	1-1/2/1.4	1-1/2/1.4	1-1/2/1.4
On-Handle Command Control System						•	•
Cutting Height Adjustment (inches/cm)		1-3/2.5-7.6	1-3/2.5-7.6	1-3/2.5-7.6	1-3/2.5-7.6	1-3/2.5/7.6	1-3/2.5/7.6
Cutting Width (inches/cm)		21/53	21/53	21/53	21/53	21/53	21/53
Blade Type	Stabilized Gull Wing	•	•	•	•		
	Stabilized High Lift					•	•
	Standard						
Wheels Diameter x Width in./cm		8 x 1-3/4 20 x 4.4	8 x 1-3/4 20 x 4.4	8 x 1-3/4 20 x 4.4	8 x 1-3/4 20 x 4.4	8 x 1-3/4 20 x 4.4	8 x 1-3/4 20 x 4.4
Grass Catcher		Rear 3-Bushel Zipperless	Rear 3-Bushel Zipperless	Rear 3-Bushel Zipperless	Rear 3-Bushel Zipperless	Rear 3-Bushel Zipperless	Rear 3-Bushel Zipperless
Weight (lb./kg.)		61/27	66/30	66/30	71/32	76/34	81/36
Blade/Brake/Clutch						•	•

*SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



Advanced technology. Built into every Homelite/Jacobsen lawn mower.

Homelite constantly searches for new and better ways to make our products better. To make them easier to use, more efficient and even more reliable than they are today.

Naturally, we have more than our share of success stories to tell. Just look at our new line of Super Bagger mowers. Every model has an improved Briggs & Stratton engine that makes it easier to start, easier to maintain and longer lasting. It's also a four-cycle engine that you won't have to worry about using on steep hills. Its specially designed oil system

keeps all critical parts completely lubricated at all times. And these new engines are quiet. Their precision-fit pistons and heavy-duty muffler filter out a great deal of bothersome noise.

Advanced Homelite technology also provides you with a more precise and professional-looking cut. You see, our Super Bagger mowers all have aerodynamically designed, deep-dish spiral decks for an improved vacuum action. And when you add our exclusive gull-wing blade design on the Super Bagger mowers you get an intense suction power

that enables you to lift uncut grass straight and tall. It also enables you to get a professional-looking cut even when the grass is wet. And it makes these mowers great for sweeping up clippings, leaves, twigs and other debris.

Advanced Homelite technology makes our lawn mowers easier to use and safer to operate, too.

At Homelite, we've paid attention to details. So you can count on efficiency, reliability and longer service life with every Homelite/Jacobsen lawn mower.

LAWN KING™

RMX® SERIES E RIDING MOWER

L18	L20	L20P	L-21	L-21P		RMX8	RMX8E	RMX11E
					Briggs & Stratton Engine Horsepower	8	8	11 IC
•	•	•	•	•	Starter	Recoil		
•	•		•			Electric		•
		•		•	3-Quart Fuel Tank/2.8L	•	•	•
3.0	3.0	3.5	3.5	3.5	Rack and Pinion Steering	•	•	•
•	•	•	•	•	Wheels	45-1/2" Base/115cm	•	•
•	•	•	•	•		23" Tread/58cm	•	•
					Tubeless Tires	Front: 11 x 4.00-5 Rib	•	•
1/9	1/9	1/9	1/9	1/9		Rear: 16 x 6.50-8 Stud	•	•
					30" Turning Radius/76cm	•	•	•
1-3/2.5-7.6	1-1/2-3-1/2/3.8-8.8	1-1/2-3-1/2/3.8-8.8	1-1/2-3-1/2/3.8-8.8	1-1/2-3-1/2/3.8-8.8	Speeds	@ 3400 RPM	•	•
18/45	20/50	20/50	21/53	21/53		FWD: 5 mph/8km	•	•
						REV: 1.5 mph/2.4km	•	•
•	•	•	•	•	1-1/2"x4" Deck Height Adj./3.5-10cm	•	•	•
					30-1/2" Cutting Width/77cm	•	•	•
					Optional Rear Grass Catcher	•	•	•
					Dimensions	61-1/2"L/152cm	•	•
7 x 1-1/2 17 x 3.5	8 x 1-3/4 20 x 4.4	8 x 1-3/4 20 x 4.4	8 x 1-3/4 20 x 4.4	8 x 1-3/4 20 x 4.4		33-3/4"W/85cm	•	•
Optional 1.6 bu Side Bag	Optional 1.6 bu Side Bag	Optional 1.6 bu Side Bag	Standard 2 bu Rear Bag	Standard 2 bu Rear Bag		36"H/91cm	•	•
50/23	58/26	65/29	65/29	72/33				



The LTX™ Lawn Tractor

Comfort, simplicity and big tractor performance. You get all this and more with the versatile LTX lawn tractor.

You can save time when you have a lot of ground to cover because the LTX tractor gives you either a 34-inch mowing deck, with the LTX 8, or 42-inch mowing deck with the LTX 11. And the LTX tractor is a tool that can help you year-round because it's available with a big selection of easy-to-use attachments like a snow trip blade, snow thrower and dump cart.

The LTX tractor is easy to use. All controls are easy to reach. And

it features convenient key starting, rack-and-pinion steering and a tight 32-inch turning radius for quick, precise handling. The pivoting front axle levels the ride and helps prevent scalping of your lawn. And the wide tires give you plenty of traction, but won't leave tracks in your lawn.

THE LTX 8

The most economical tractor in the Homelite/Jacobsen line. It's equipped with a 34-inch mowing deck and a reliable, synchro-balanced 8-hp Briggs & Stratton engine that provides low noise and vibration levels.

THE LTX 11

Equipped with a time-saving 42-inch mowing deck and a powerful, low-noise vibration, 11-hp Briggs & Stratton Industrial/Commercial engine.


Vinyl-covered seat cushioned with foam rubber.

Safety-interlock seat switch prevents PTO engagement with no operator in seat.

Drawbar hitch.

42-inch mowing deck requires no tools for mounting. (34-inch mowing deck on Model LTX 8.)

Wide tires help prevent tracking up lawn. (Optional chains and wheel weights available.)



HOMELITE
JACOBSEN

Convenient key starter—
on-board alternator keeps
the 12-volt battery fully
charged.

Electric PTO clutch—
dashboard toggle switch.

Padded and adjustable
high-back seat with
underside storage.

Insulated engine enclosure
with removable side panels
for easy servicing.

Headlights and taillights
for use under low-light
conditions.

Optional rear PTO for
driving tiller and other
optional attachments.



Headlights standard.
(Taillights optional.)

Heavy-duty front PTO—
drives mower and
snowthrower.

Rugged heavy-gauge steel
frame.

Side reflectors for added
visibility.

Heavy-duty steel frame.

The GT Garden Tractor

When you need plenty of muscle, you need the GT Garden Tractor. Available with a choice of powerful 12- or 16-hp engine, the GT garden tractor can get the job done fast and without a lot of fuss. The GT's Kohler engine is totally enclosed by sound barriers. So it purrs along quietly.

In fact, it's more
silent than most
walk-behind mowers.

There's also a big selection of heavy-duty attachments and accessories to help you work year-round. You can get a tiller attachment, snow plow, cultivator and more.

And the GT tractor is available with either 42- or 50-inch mowing decks that allow you to make short work out of a lot of tall grass.

THE GT 12G

A 12-hp model with dependable transaxle drive system, four forward speeds and reverse. Also comes with a three-gallon fuel tank and mechanical-level operated attachment (optional electric kit available).

THE GT 12H

A 12-hp model with the special PACE COMMAND® hydrostatic

drive control for easy, "no hands" shifting. One foot controls the speed, and does the shifting between forward and reverse. You can keep both eyes on what you're doing and both hands on the wheel.

THE GT 16G

Has 16-hp, dependable transaxle drive system, four forward speeds, plus reverse. Boasts a spacious five-gallon fuel tank.

THE GT 16H

A garden tractor with headlights and taillights for working under low-light conditions. Features a powerful 16-hp engine, 5-gallon fuel tank, standard hydraulic lift and the PACE COMMAND drive control for easy "no hands" shifting.

TRACTORS

Lawn and Garden



The LTX's easy-to-open hood simplifies maintenance



Big mowing jobs are cut down to size with the wide mowing deck of the GT tractor.



The GT tractor is available with a variety of optional attachments and allied equipment that make gardening and other chores easy.

We put more free time in your day.

LAWN AND GARDEN TRACTOR SPECIFICATIONS*

LTX™ LAWN TRACTOR

MODEL		LTX8	LTX11
Engine	Horsepower	8	11
	Synchro-balanced Briggs & Stratton Kohler Air-Cooled Quiet Plus	•	• I/C
Starter	Key w/12V Battery	•	•
	Automobile Type Bendix Alternator	•	•
Safety Interlock Seat Switch		•	•
Fuel	1-1/4 Gallons/4.7 L	•	•
	3 Gallons/11.4 L	•	•
	5 Gallons/19 L	•	•
PTO Clutch-Electric W/Dash Mounted Toggle Switch		•	•
Transmission		Gear Transaxle w/combined clutch/brake pedal	Gear Transaxle w/combined clutch/brake pedal
Speeds		6 Fwd. speeds 1.0-5.6 mph rev.: 3.0 mph @ 3,300 rpm	6 Fwd. speeds 1.0-5.6 mph rev.: 3.0 mph @ 3,300 rpm
Wheel Base (in/cm)		46-1/4/117	46-1/4/117
Turning Radius (in/cm)		32/81	32/81
Steering	Rack & Pinion	•	•
	Enclosed Worm Deluxe Wheel	•	•
Dimensions	Length (in/cm)	64-3/4/164	64-3/4/164
	Width (in/cm)	33-1/4/84	33-1/4/84
	Height (in/cm)	36-1/4/92	36-1/4/92
	Weight (lb/kg)	490/222	560/254
Mower Deck Sizes (in/cm)		34-86 or 42-106 (Standard)	34-86 or 42-106 (Standard)



*SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Allied equipment and attachments to GT garden tractors.


Take advantage of your GT garden tractor's year-round versatility with rugged Homelite/Jacobsen attachments and other attachments and accessories from allied manufacturers.

See your nearest Homelite/Jacobsen Dealer for full details.

Homelite/Jacobsen Attachments
42-inch and 50-inch Rotary Mower Decks • Dump Cart • 36" Tiller • 10" Plow • Cultivator • Disc Harrow • 48" Trip Dozer Blade • 42" Snow Thrower

Allied Equipment

Backhoe • Rear-Mount Mini-Blade • Soft Cab • Cultivator • Disc Harrow • Front-End Loader • Gang Mower • Plow • Front-Mounted Power Broom • Rear Rake • Roller • Spreader • Thatcher • Utility Trailer • Vacuum Sweeper • And more.



GT GARDEN TRACTOR

Leon's Chainsaw Parts & Reproduction
Do Not Sell or Reproduce

	GT12G	GT12H	GT16G	GT16H
	12	12	16	16
	Gear Transaxle	Hydrostatic w/dual range gear reduction/differential	Gear Transaxle	Hydrostatic w/dual range gear reduction/differential
	4 Fwd. speeds .83-6.5 mph rev.: 2.9 mph @ 3,200 rpm	Lo range 0-4.4 mph Hi range 0-6.5 mph Reverse 0-3.2 mph	4 Fwd. speeds .83-6.5 mph rev.: 2.9 mph @ 3,200 rpm	Lo range 0-4.4 mph Hi range 0-6.5 mph Reverse 0-3.2 mph
	46/116 36/91	46/116 36/91	46/116 36/91	46/116 36/91
	73/185	73/185	73/185	73/185
	38-42/96-106	38-42/96-106	40-44/101-111	40-44/101-111
	42/106	42/106	42/106	42/106
	765/347	800/362	820/372	820/372
	42-106 or 50-127 Available	42-106 or 50-127 Available	42-106 or 50-127 Available	42-106 or 50-127 Available



SNOW THROWERS

Single-Stage and Two-Stage

Sno-Burst® Snow Thrower

The Sno-Burst snow thrower has a powerful engine that packs a wallop. Its special POWER BURST® feature permits selective use of the engine's full power. A quick push on the POWER BURST control kicks in extra engine rpm's and faster paddle action.

You also get great convenience features, like adjustable handles and easy-access controls for mittened hands. Its large two-quart fuel tank means fewer refueling stops and less time spent out in the cold. And big seven-inch wheels make the Sno-Burst snow thrower easy to push and corner.

THE SNO 320

Manual starting model can be converted to electric starting at any time. All you need is an optional Homelite/Jacobsen electric starter kit — an industry exclusive.

THE SNO 320E

This model features factory-installed electric starting.

Imperial® Snow Thrower

The "heavyweight" of the Homelite/Jacobsen snow thrower line. With its muscular two-stage collector/impeller, the self-propelled Imperial snow thrower delivers a strong one-two punch that breaks through high drifts and heavy snow conditions.

For added convenience, the Imperial snow thrower has a large one-gallon fuel tank and provisions for optional 120-volt electrical starting. And the entire machine stands "on its nose" for easier storage and servicing.

THE SNO 626

With 6-hp engine and 26-inch clearing width.

THE SNO 826

With 8-hp engine and 26-inch clearing width.

THE SNO 830

With 8-hp engine and 30-inch clearing width.

SNOW THROWER SPECIFICATIONS **


SNO-BURST

IMPERIAL

MODEL		SNO320	SNO320E	SNO626	SNO 826	SNO830
Drive Type	Push	•	•			
	Self-Propelled with 4-FW speeds/rev.			•	•	•
Type	Single-Stage	•	•			
	Two-Stage			•	•	•
Clearing Width (in/cm)		20/50	20/50	26/66	26/66	30/76
Engine	Winterized Homelite	•	•			
	Winterized Tecumseh			6 hp	8 hp	8 hp
Starter	Recoil	•	•	•	•	•
	Recoil with Elec. Start	*	•	*	*	*
Primer		•	•	•	•	•
Fuel Capacity	2 Quart/1.9 L	•	•	•	•	•
	1 Gallon/3.7 L			•	•	•
Discharge Guide	Rotation	90°	90°	200°	200°	200°
	Hand Crank Control			•	•	•
	Control on Panel		•			
Adjustable Skids				•	•	•
Adjustable Handle				•	•	•
Scraper Bar	Adjustable			•	•	•
	Nonadjustable	•	•			
Shipping Weight (lb/kg)		62/28	67/30	238/108	248/112	264/120

*Optional electric start available.

**SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



We put more free time in your day.

BLOWERS

Gasoline Powered

HOMELITE
JACOBSEN

Sweep. Mist. Spray.


A Homelite® blower is the perfect outdoor cleanup tool that allows you to make fast work of leaves, grass clippings, dirt and debris from lawns, driveways and patios.

The HB-680 can be used for sweeping, watering and spraying insecticides, fertilizers or herbicides on lawns, trees, shrubs — just about anything. And its easy-to-remove tank holds up to two gallons of liquid.

For your convenience, all controls are within easy reach. And it even has an adjustable control valve.

Blower Specifications*

MODEL		HB-380	HB-480	HB-680
2-Cycle Air-Cooled 1-Cylinder Engine		●	●	●
Engine Displacement	26.2 cc	●		
	31.1 cc		●	●
Solid-State Ignition		●	●	●
16-oz Fuel Capacity/473 mL		●	●	●
Centrifugal Single-Stage Fan		●	●	●
Maximum Air Volume (cfm)		375	425	375
Maximum Air Velocity (mph/km)		150/241	150/241	150/241
2-Gallon Mist/Spray Tank/7.5 L				●
Dimensions	Length (in/cm)	13-1/2/34	13-1/2/34	15/38
	Width (in/cm)	9/22	11-1/2/29	11-1/2/29
	Height (in/cm)	14-1/2/37	16/40	20/51
Net Weight (lb/kg)		10-1/4/26	13-1/2/34	16-1/2/42
Shipping (Wt (lb/kg)		13-1/4/34	15-3/4/40	19/48



Accessories

- A. Shoulder Strap Kit — for HB-380 only.
- B. Cutter Maintenance Kit — for use with all blowers. Must be used with control rod and bellows kit on HB-380.
- C. Control Rod and Bellows Kit — for HB-380 only.

MULTI-PURPOSE SAWS

Gasoline Powered

Two dependable workhorses with all the power, performance, portability you need. Professional design allows fast cutting of just about anything: concrete, steel, aluminum, bronze, cast and ductile iron.

The DM-40 - One of a new generation, it is specially engineered for easier starting, greater reliability and increased operator comfort. It

features anti-vibration design neoprene coated wrap around handle bar, heavy duty dual element air filter system with replaceable cartridge and cleanable foam outer filter.

The XL-98, proven design that has withstood the rigors of construction, demolition and rescue operations, features a 5.0 c.i. engine, wrap around handle bar, adjustable wheel guard, heavy duty dual element air filter system, large fuel tank. Two-wheel dolly, carrying case, wet cutting kit, and many different abrasive wheels and saw blades are available as optional equipment for all models.



MULTI-PURPOSE SAW SPECIFICATIONS

MODEL	Engine Make	Displ. Cu. In./cc	Engine RPM	Cutting Wheel RPM	Diameter Cutting Wheel In./Cm.	Dept. of Cut In./Cm.	Arbor Diameter In.	Vibration Isolated	Reversible Arm	Electronic Ignition	Fuel Tank Capacity Oz./Lt.	Air Cleaner	DIMENSIONS				Ship. Wt. lb./kg.
													Length In./Cm.	Width In./Cm.	Height In./Cm.	Net Wt. lb./kg.	
DM-40	HOM. 2 cyc.	4.1/67	10,500	5,750	12/30	4/10	20 mm.	Yes	Yes	Yes	37.2/1.1	Foam & Paper Cart.	31/79	12/30	13/33	28/12	35/16
XL-98A	HOM. 2 cyc.	5.0/81	9,000	5,250	12/30	4/10	1	No	Yes	Yes	48/1.4	Foam & Paper Cart.	29/74	12/30	14.5/37	26/12	33/15

*SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

PUMPS

Multi-Purpose

Homelite® pumps are the perfect pumps for almost any water transfer applications: pool maintenance, pressure washing, spraying, watering lawns and gardens, drainage and even fire fighting.

The Waterbug® Pump

This lightweight pump is perfect to keep around your home. It weighs just 9 lb. yet moves up to 1,350 gallons per hour.



You'll want to use it for all types of water transfer, including watering, washing patios, decks and driveways, emergencies and swimming pool maintenance.

The Waterbug pump takes a one-inch suction hose and discharges through an ordinary garden hose. It comes complete with couplings, adapters and 12 feet of suction hose with strainer.

Centrifugal Pumps

Rugged Homelite centrifugal pumps are available in pumping capacities from 6,100 to 10,500 gallons per hour. Lightweight, die-cast aluminum housing makes them easier to transport than other pumps. Cen-


trifugal pumps have a closed-vane impeller that eliminates the need for shimming. And the discharge nipple on each pump can be easily rotated to discharge in any direction.

THE C150

Designed for a wide range of water transfer applications and provides up to 6,100 gph capacity. Has a rugged 3-hp, four-cycle engine.

THE CC150

Tough, durable, reliable, the CC150 pump is great for all types of clear water transfer and other applications where a small amount of solids are mixed with water. Has a 3-hp I/C engine and a pumping capacity of 6,100 gph.



THE CC200

Built for big water transfer jobs. It's 3-hp I/C engine handles up to 9,000 gph. And it has a two-inch suction and discharge.

THE CC205

Handles up to 10,500 gph and is powered by a muscular 5-hp I/C engine. Also has rubber-cushioned feet to prevent walking when in operation.

Centrifugal Pressure Pump

THE XLS1-1/2

Powered by a two-cycle Homelite engine. Easy to handle, operates in any position. Its high-pressure capacity makes it perfect for a variety of spraying and washing chores.

Agricultural Pumps


Homelite Agricultural pumps have become popular with farmers and contractors alike.

THE AP 315

A popular model with contractors for use where minimum solids are present. Comes with skids, nipples, strainers and abrasive-resistant rubber volute liner. Its 3-hp engine moves up to 6,000 gph.

THE AP 520

The highest performance agricultural pump in the Homelite line. The AP 520 has a 5-hp engine that moves up to 9,600 gph. And its corrosion-resistant construction makes it great for water and farm chemical transfer.



WATER PUMP SPECIFICATIONS**

CENTRIFUGAL

AGRICULTURAL

MODEL		WATERBUG®	C150	CC150	CC200	CC205	XLS1-1/2	AP315	AP520
Pump Type	Thermoplastic	•					•	•	•
	Cast Aluminum		•	•	•	•			
U.S. GPH Capacity/litre		1350/5110	6100/23100	6100/23100	9000/34070	10,500/39750	4000/15140	6000/22700	9600/36340
Engine	Homelite 2-Cycle	•					•		
	Briggs & Stratton		80232	81232*	81232*	131232*	2 cycle	80232	130232
Total Lift (ft/m)		20/6	28/8.5	28/8.5	28/8.5	28/8.5	28/8.5	28/8.5	28/8.5
Total Head (ft/m)		90/27	105/32	105/32	105/32	115/35	147/45	110/34	120/37
Priming Time (ft/sec)		20/120	25/90	25/90	25/140	25/110	25/65	5/10	25/65
Dimensions	Length (in/cm)	14-3/4/37	20/50	21-1/2/55	21-1/2/55	21-1/2/55	14-3/4/37	18-3/4/48	18-3/4/48
	Width (in/cm)	9-1/2/24	15-1/2/39	18-1/2/47	18-1/2/47	18-1/2/47	15-1/2/39	14-3/4/37	14-3/4/37
	Height (in/cm)	7-5/8/19	14-3/8/36	17-1/4/44	17-1/4/44	17-1/4/44	11-3/4/30	14-1/4/37	13-1/2/37
Weight (lb/kg)		9/4	48/22	62/28	62/28	70/32	25/11	36-1/2/16	37/17
Hose Size	Discharge (in/cm)	Garden Hose	1-1/2/3.8	1-1/2/3.8	2/5	2/5	1-1/2/3.8	1-1/2/3.8	2/5
	Suction (in/cm)		1-1/2/3.8	1-1/2/3.8	2/5	2/5	1-1/2/3.8	1-1/2/3.8	2/5

*Industrial/Commercial with cast iron cylinder liners.

**SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

General Purpose

When you need portable power, emergency power or both, you can count on Homelite generators. These rugged, high-performance power plants are great for general uses, like running power tools and appliances. They're also excellent power sources when camping, during emergencies and blackouts.

The Lightnin' Bug™ Generator

The lightest, most compact and easy-to-carry generator in the Homelite line. It's perfect for camping or for use at home.


It's durable four-cycle engine starts easily every time, anytime. You don't need to mix gasoline and oil. It's virtually maintenance free. And it has a special cut-off feature that shuts down the unit when the oil level gets too low. So you absolutely can't burn it out.

All outlets, controls and instruments are conveniently grouped for easy operation. Both AC and DC current is available. The Lightnin' Bug generator is also very quiet. It has a large, highly efficient muffler, air intake silencer and four rubber feet for sturdy, low-vibration operation.

THE HG 1400

This powerful little generator offers up to 1,400 watts in a compact, low-weight package. Recoil starter and fully electronic ignition make it easy to start.

Other features include direct drive for minimal power loss and more stable output. Large, highly ef-



ficient muffler. AC and DC current. And automatic voltage regulation for operation of equipment sensitive to voltage fluctuations.

THE E1350, E1700 and E2250 Designed especially for emergency and other critical portable power needs. Compact units feature durable, long-life four-cycle engines that almost never need maintenance,


plus two easy-to-get-to 120 volt receptacles.

THE E3000 AND E4000 Our top-of-the-line, light-duty generators. Each has two 120-volt, 15-amp receptacles and one 120/240-volt, 20-amp receptacle. All Homelite generators are C.S.A. approved.



GENERATOR SPECIFICATIONS *

MODEL	LIGHTNIN' BUG™	HG1400	E1350	E1700	E2250	E3000	E4000	
Voltage	120	120	120	120	120	120/240	120/240	
Amperage	4.2 Cont 5 Max	10.0 Cont 11.6 Max	11.2 Cont	14.2 Cont	18.7 Cont	25.0/12.5 Cont	33.3/16.7 Cont	
Frequency (HzAC)	60	60	60	60	60	60	60	
Wattage	600 Max	1400 Max	1350 Cont	1700 Cont	2250 Cont	3000Cont	4000 Cont	
Outlets	1-120 VAC 1-12 VDC	2-120 VAC 1-12 VDC	2-120 VAC	2-120 VAC	2-120 VAC	2-120 VAC 1-240 VAC	2-120 VAC 1-240 VAC	
Dimensions	Length (in/cm)	17-1/2/44	20/50	18/45	19/48	20/50	23/58	24-1/4/62
	Width (in/cm)	8/20	13-3/4/35	19/48	19/48	19/48	19/48	19/48
	Height (in/cm)	12-1/2/32	16-1/2/42	15-1/2/39	17/43	17/43	18-1/2/47	18-1/2/47
Weight (lb/kg)	46/20	82/37	61-1/2/28	67/30	77/35	104/47	118/54	
Briggs & Stratton 4-Cycle Engine			•	•	•	•	•	
Horsepower at 3600 rpm	1.4	3.2	3	4	5	7	8	

*SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



HOMELITE[®] JACOBSEN



SOLD BY:

**HOMELITE-TERRY
TEXTRON**

UNIT # 10
3260 Viking Way
Richmond, B.C.
V6V 1N6
Tel: (604) 273-0822

16520, 111th Avenue
Edmonton, Alberta
T5M 3V8
Tel: (403) 489-3395

37 Dansley Avenue
Toronto, Ontario
M6M 2P5
Tel: (416) 244-5613

180 Labrosse Avenue
Pointe-Claire, P.Q.
H9R 1A2
Tel: (514) 697-5910

45 Brandon Street
Moncton, N.B.
E1C 7E7
Tel: (506) 857-4905



L-5124