

OREGON[®] SAW CHAIN APPLICATION GUIDE

*Fits all popular makes
of Chain Saws*


TABLE OF CONTENTS

	Page No.
CHAIN, BAR & SPROCKET SUMMARY	2
CHAIN PART NUMBER EXPLANATION	3
ALPHABETICAL LISTING OF CHAIN SAWS & CUT LENGTH CHAIN SPECIFICATIONS	4-13
ACCESSORIES	14

OREGON CHAINS-BARS-SPROCKETS

TABLE OF CONTENTS

	Page Number		Page Number
CHAIN, BAR & SPROCKET SUMMARY	2	CHAIN REPAIR KITS	8
CHAIN PART NUMBER EXPLANATION	3	CHAIN REELS	9
ORDERING INFORMATION	3	CHAIN REPAIR PARTS	10-11
SAW BAR PRICES	4-5	ACCESSORIES	12-13
SPROCKET PRICES	6-8	CUT LENGTH CHAIN	14-18



S-70 CHAIN

High production cutting for lightweight compact saws. Cutters are nearly square for speed and smoothness, yet are sharpened with round file.



MICRO CHISEL

Fast, versatile with semi-square cutting edges. Easy to maintain with round file. A variety of sizes available to fit most saws.




SUPER 70 CHAINS

Super 70 series cut noticeably faster than OREGON 72D chain. Has greater stay-sharp capability. Smooth cutting action and a new guard link that greatly reduces chain kick-back. "LP" after chain number designates Super 70 chain.



SUPER CHISEL

High cutting efficiency and smoothness in small or big timber. Square cutting edge can be sharpened with either round or chisel file.



CHIPPER CHAIN

World favorite for over twenty years. Sizes for all saws, all timber. Fast cutting, easy to sharpen. A real work horse.



80 CHAIN

Fastest, smoothest chain made. Unique cutters are top-sharpened in seconds with Power-Sharp System.



SPROCKET NOSE BAR

Sprocket lifts chain for smooth turn around nose — chain runs faster, cooler. Nose and rest of bar same thickness — less chance of hangups. Sprocket easy to replace.




ROLLER NOSE BAR

Slim contour, lightweight. Triple heat treated, precision machined. Roller nose cuts friction, speeds cutting. Roller section easy to replace.



HARD NOSE BAR


Slim contour, lightweight. Triple heat treated, precision machined. Has extra hard alloy welded nose for wear resistance.




POWER MATE SPROCKET SYSTEM

Self-aligning rim and drum combinations fit most popular saws. Less drive link damage, wear, chatter and strain on chain.

Chain Parts



Chain Part Number Explanation:



To Order Chain Refer To Oregon Products Price List

- Choose the type of chain you want
- Indicate number of drive links (E)



Note: When ordering chain in reels just indicate number of reels, chain type, length per reel, (25R or - 100 R.)

EXAMPLE: 2 reels 10AC-100R.

ALPHABETICAL LISTING OF SPECIFIC MODELS OF
CHAIN SAWS AND APPLICATION SPECIFICATIONS
FOR OREGON SAW CHAIN IN CUT LENGTHS.

ACKLEY

MODELS: 163, 263H, 7H, 7H PISTOL GRIP, 263H POLE SAW, 163 AIR POLE SAW

Bar Length	3/8" Pitch .050" Gauge Type 12C	3/8" Pitch .050" Gauge Type 72D
9"	12C-40E	
12"	12C-48E	72D-48E
15"	12C-57E	72D-59E
20"		72D-69E
24"		72D-81E

Alternate chain types: 72LP, 22

ALLIS CHALMERS

MODELS: 295, 95, 195

Bar Length	Hard Nose Bar	3/8" Pitch .050" Gauge Type 72D	.404" Pitch .050" Gauge Type 50C
12"		72D-44E	50C-44E
16"	17730	72D-61E	50C-55E
20"	17732	72D-72E	50C-65E
24"		72D-82E	50C-74E
12" Bow		72D-80E	50C-71E

Alternate chain types: 20, 22, 28, 85, 50L, 50AL, 72LP

Sprocket drum: 295, 95, 195 Part No. 10617 STD 7

MODEL: 75A

Bar Length	1/4" Pitch .050" Gauge Type 25	1/4" Pitch .050" Gauge Type 102C
12"	25-65E	102C-65E
14"	25-76E	102C-76E

Sprocket drum: 75A Part No. 19779 Small 9

BARKER

MODELS: KLIPPER, SUPER 44, SUPER 55, SUPER 66, H61, H71, H72, H91 DIRECT DRIVE

Bar Length	.404" Pitch .063" Gauge Type 52AC	7/16" Pitch .063" Gauge Type 62AC
16"	52AC-58E	62AC-51E
20"	52AC-64E	62AC-60E
24"	52AC-80E	62AC-74E

Alternate chain types: 27, 52L, 52AL

BARKER (Cont.)

MODELS: GT-5, GT-6, GT-7, 105, 105AO, 107, 107AO, 109, 109AO DIRECT DRIVE

Bar Length	Hard Nose Bar	Roller Nose Bar	3/8" Pitch .050" Gauge Type 72D	.404" Pitch .050" Gauge Type 50C
16"	17730	11488	72D-59E	50C-53E
20"	17732		72D-68E	50C-63E
24"			72D-81E	50C-74E
28"			72D-92E	50C-84E

Alternate chain types: 22, 72LP, 20, 50L, 50AL

Sprocket drum: 105, 105AO, 107, 107AO, 109, 109AO Part No. 68090 STD 7
GT5, GT6, GT7 Part No. 10618 STD 7

BLUE BABE

MODELS: ALL MODELS POND AND DECK

Bar Length	3/4" Pitch .122" Gauge Type 11AC	3/4" Pitch .122" Gauge Type 11BC
4'	11AC-82E	11BC-82E
5'	11AC-98E	11BC-98E
6'	11AC-120E	11BC-120E
7'	11AC-134E	11BC-134E
8'	11AC-146E	11BC-146E
10'	11AC-174E	11BC-174E

CLINTON

MODELS: D15, D25, D35, D65, D40 DIRECT DRIVE

Bar Length	.404" Pitch .058" Gauge Type 51AC	.404" Pitch .058" Gauge Type 26
14"	51AC-54E	26-54E
16"	51AC-61E	26-61E
18"	51AC-65E	26-65E
24"	51AC-78E	26-78E
30"	51AC-95E	26-95E
36"	51AC-108E	26-108E

Alternate chain types: 51L, 51AL

Sprocket drum: D15, D25, D35, D65, D40 Part No. 10608 STD 7

COMET (HOFFCO)

MODELS: D4, D58, DIRECT DRIVE

Bar Length	.404" Pitch .058" Gauge Type 51AC	7/16" Pitch .058" Gauge Type 61AC
14"	51AC-54E	61AC-51E
16"	51AC-61E	61AC-56E
18"	51AC-65E	61AC-60E
24"	51AC-78E	61AC-72E

Alternate chain type: 26

COMET (HOFFCO) (Cont.)

MODELS: 490, D-51

Bar Length	Hard Nose Bar	3/8" Pitch .050" Gauge Type 72D	.404" Pitch .050" Gauge Type 28
	16"	17730	72D-59E
20"	17732	72D-69E	28-64E
24"		72D-81E	28-74E
28"		72D-92E	28-84E

Alternate chain types: 50L, 50AL, 50C, 72LP, 22

DOLMAR

MODEL: 118 DIRECT DRIVE

Bar Length	3/8" Pitch .058" Gauge Type 73D	.325" Pitch .058" Gauge Type 21
	16"	73D-56E
20"	73D-64E	21-72E

Alternate chain types: 23, 73LP

MODELS: CA, CC, CC SUPER, CT, CX, DIRECT DRIVE, CT-G, GEAR DRIVE

Bar Length	3/8" Pitch .058" Gauge Type 73D	.404" Pitch .058" Gauge Type 51L
	17"	73D-64E
21"	73D-72E	51L-70E
25"	73D-86E	51L-78E
30"	73D-100E	51L-92E
33"	73D-111E	51L-100E
36"	73D-120E	51L-108E
44"		51L-126E

Alternate chain types: 23, 51AC, 51AL, 26, 73LP

Sprocket drum: CA Models after January 1969 Part No. 16372 STD 7

ECHO (KIORITZ)

MODEL: CS-301, CS-302

Bar Length	Hard Nose Bar	1/4" Pitch .050" Gauge Type 102C	3/8" Pitch .050" Gauge Type 25
	12"	18431	102C-68E
14"	18433	102C-76E	25-76E

MODELS: CS-802, CS-802S

Bar Length	.404" Pitch .063" Gauge Type 51AC	3/8" Pitch .063" Gauge Type 75D
	16"	52AC-56E
20"	52AC-64E	75D-70E
24"	52AC-76E	75D-84E
28"	52AC-84E	75D-93E
32"	52AC-96E	75D-111E

Alternate chain types: 27, 52L, 52AL

ECHO (KIORITZ) (Cont.)

MODELS: CS-451VL, CS-605, CS-601, CS-701VL

Bar Length	Hard Nose Bar	3/8" Pitch .050" Gauge Type 72D	.404" Pitch .050" Gauge Type 50C
	16"	17730	72D-59E
20"	17732	72D-69E	50C-62E
24"		72D-81E	50C-74E
30"		72D-92E	50C-84E

Alternate chain types: 22, 28, 50L, 50AL, 72LP

MODEL: CS-100

Bar Length	.404" Pitch .063" Gauge Type 27	.404" Pitch .063" Gauge Type 52AC
	21"	27-72E
25"	27-82E	52AC-82E
30"	27-91E	52AC-91E

Alternate chain types: 52L, 52AL

ELECTR-O (ELECTRIC)

MODELS: E1000, E1050, E1450, 2012, 2052, 2452

Bar Length	3/8" Pitch .050" Gauge Type 12C
	10"
14"	12C-57E

FAIRMONT

MODELS: H5200, H5210 HYDRAULIC

Bar Length	1/2" Pitch .063" Gauge Type 10AC
	20"
30"	10AC-78E

HOFFCO

MODELS: 88, SUPER 88, SUPER 70, SUPER 90, TIMBERLINE T81, T47, T58, TIMBERLINE T-4, T-58 DIRECT DRIVE 6.45, 6.455 GEAR DRIVE

Bar Length	1/2" Pitch .058" Gauge Type 9AC	.404" Pitch .058" Gauge Type 51AC
	14"	9AC-44E
16"	9AC-49E	51AC-61E
18"	9AC-57E	51AC-65E
24"	9AC-63E	51AC-78E
30"	9AC-77E	
36"	9AC-88E	
40"	9AC-92E	

Alternate chain types: 9AL, 51AL, 51L, 26

HOFFCO (Cont.)

MODELS: 480, S480, S510, S480D, S510CR, S510CRP DIRECT DRIVE

Bar Length	Hard	3/8" Pitch	.404" Pitch
	Nose Bar	.050" Gauge Type 72D	.050" Gauge Type 50L
16"	17730	72D-59E	50L-54E
20"	17732	72D-69E	50L-64E
24"		72D-81E	50L-74E
28"		72D-93E	50L-84E

Alternate chain types: 72LP, 22, 20, 50C, 50AL

MODELS: KC10, KC14 SAWETTE

Bar Length	.404" Pitch	.404" Pitch
	.058" Gauge Type 51AC	.058" Gauge Type 23
10"	51AC-39E	23-39E
14"	51AC-50E	23-50E

Alternate chain types: 51L, 73D, 73LP

HOMELITE

MODELS: E2, E2-6, 7-19, ZIP, 600D, 700D, 707D, S-1050, C-72, C-52, C-51, 775D, XP-1000, XP-1020, SUPER 1020, SUPER 1050 AUTO, SUPER 2100AO, SUPER XP 1020 AUTO, XP-2000, XP-2000 AUTO

Bar Length	Hard	Roller	Sprocket	.404" Pitch	7/16" Pitch
	Nose Bar	Nose Bar	Nose Bar	.063" Gauge Type 52AC	.063" Gauge Type 62AC
17"	17744			52AC-62E	62AC-57E
21"	17746			52AC-71E	62AC-66E
25"	17748			52AC-82E	62AC-76E
30"		17413	19895	52AC-95E	62AC-87E
35"		17414	19898	52AC-107E	62AC-99E
41"				52AC-116E	62AC-113E
16" Bow				52AC-78E	62AC-72E

Alternate type chains: 52L, 52AL, 27

Drums: ZIP, 700D, 707D, 51, 71, 91, C5, C7, C9, 775D, XP-1000, XP-1020M, 7-19, C-51, C-71, C-91, C-72 Part No. 10616 STD 7
XP-2000, XP-1020 Super, XP-1020 Auto, Auto 2000, 2100, 2000 Series Saw Part No. 14026 STD 6

MODEL: XL2 110 ELECTRIC

Bar Length	1/4" Pitch	1/4" Pitch
	.050" Gauge Type 25	.050" Gauge Type 102C
12"	25-69E	102C-69E

MODELS: 4-20, 5-20, 6-22, 7-21, 700G, 707G, 770G, 775G, 900G, 990G, S.WIZ55, S.WIZ66, SUPER 77-1, S.WIZ80, 1130G, 3100G, XP-1100, XP-1130A GEAR DRIVE

Bar Length	Hard	Roller	Sprocket	1/2" Pitch	.404" Pitch
	Nose Bar	Nose Bar	Nose Bar	.063" Gauge Type 10AC	.063" Gauge Type 52L
19"	17744			10AC-51E	52L-63E
23"	17746			10AC-58E	52L-71E
27"	17748			10AC-67E	52L-82E
32"		17413	19895	10AC-77E	52L-94E
37"		17414	19898	10AC-87E	52L-107E
40"				10AC-93E	52L-116E
44"				10AC-100E	52L-123E
50"				10AC-113E	
60"				10AC-134E	

Alternate chain types: 52AC, 27, 52AL

Gear drive adapter: 700G, 707G, 770G, Super Wiz, 1130, 3100 Part No. 14848

HOMELITE (Cont.)

MODELS: 150, EZ, EZ AUTO, SUPER EZ AUTO, XL-102, XL-103, XL-104, XL-113, XL-114, VI-123

Bar Length	Hard	Sprocket	3/8" Pitch	.325" Pitch
	Nose Bar	Nose Bar	.050" Gauge Type 72D	.050" Gauge Type 20
12"			72D-49E	20-53E
14"			72D-54E	20-61E
16"	17720	17083	3/8" 72D-59E	20-67E
20"	17722		72D-70E	20-78E
24"			72D-81E	20-92E

Alternate chain types: 50C, 50L, 22, 72LP

Drums: XL-101, XL-102 after serial no. 2617920, XL-103 after serial no. 2630989, XL-104 after serial no. 2622739, late models with 3" clutch cup, XL-113, XL-114 Part No. 12190 STD 7
XL-101 and early models XL-102, XL-103, XL-104 with 2-1/2" diameter clutch Part No. 12001 STD 7
EZ, Auto and STD saws, and late model 101, VI-123 Part No. 16379 STD 7
EZ, 150 Part No. 17986 Small 7

MODELS: XL-12, SUPER XL AUTO, XL-400, XL-901, XL-903, XL-904, XL-921, XL-923, XL-924, VI-944, VI-955

Bar Length	Hard	Roller	Sprocket	3/8" Pitch	.404" Pitch
	Nose Bar	Nose Bar	Nose Bar	.050" Gauge Type 72D	.050" Gauge Type 50L
11"				72D-48E	50L-43E
16"	17736		17441	3/8" 72D-60E	50L-55E
20"	17738		17442	3/8" 72D-70E	50L-64E
24"	17740	17430	20057	3/8" 72D-81E	50L-74E
28"		17431	20061	3/8" 72D-93E	50L-84E
30"			19889	.404" 72D-98E	50L-89E
32"			19892	.404" 72D-105E	50L-95E
36"				72D-116E	50L-106E

Alternate chain types: 22, 20, 50C, 50AL, 28, 72LP

Alternate saw bars:

*32" .063" Gauge Sprocket Nose Bar .404" Pitch Part No. 20067
*36" .063" Gauge Sprocket Nose Bar .404" Pitch Part No. 20070

*For 52AC, 52L, 52AL, 27 Chain

Drums: Super XL, XL Auto, Super XL-12, Super XL-12 Auto, XL-500, XL-700, XL-701, XL-12 after serial no. 1735838, XL-901, XL-660, C-52 after Sept. 1969 Part No. 10615 STD 7
XL-800, XL-850, XL-875, XL-900 series, 902AM, 800, 850, XL-903, XL-904, XL-870, XL-923, XL-924, VI-944, VI-955 Part No. 12520 STD 7
XL-12 prior to serial no. 1735838, C-52 Part No. 68208 STD 7
C-72 Part No. 10616 STD 7

HUSQVARNA

MODELS: B65, B77, 160S, 180S, 280S, 1100

Bar Length	Hard	3/8" Pitch	.404" Pitch
	Nose Bar	.050" Gauge Type 72D	.050" Gauge Type 50C
16"	19963	72D-60E	50C-60E
18"	19965	72D-68E	50C-62E

Alternate chain types: 72LP, 22, 50L, 50AL, 20

Drums: 65, 1377, 160S, 180S, 280S Part No. 13193 STD 7

INDIAN (KRUBUR)

MODELS: 25, 50, 351, 547H, 558H, 561H, 582H, 651, 652, COBRA, TRAMS, THUNDERBOLT DIRECT DRIVE

Bar Length	7/16" Pitch .063" Gauge Type 62AC
16"	62AC-51E
19"	62AC-60E
20"	62AC-60E
22"	62AC-64E
24"	62AC-69E
30"	62AC-88E
15" Bow	62AC-73E

MODELS: 5-12, SUPER 5-12, DIRECT DRIVE

Bar Length	.404" Pitch .058" Gauge Type 51AC	.404" Pitch .058" Gauge Type 26
16"	51AC-52E	26-52E
20"	51AC-61E	26-61E
24"	51AC-71E	26-71E

Alternate chain types: 51L, 51AL, 73D

JONSERED

MODELS: 110, 111, 80W, 80, 601, 621, 62, 75, 751
Original Equipment Chain Lengths

Bar Length	Hard Nose Bar	Sprocket Nose Bar	Pitch	3/8" Pitch .058" Gauge Type 73D	.404" Pitch .058" Gauge Type 51L
16"	17653	17301	3/8"	73D-60E	51L-55E
18"	17655			73D-68E	51L-62E
20"				73D-73E	51L-66E
23"				73D-76E	51L-70E
32"		20073	.404"		51L-95E
36"		20076	.404"		51L-108E

Alternate chain types: 51AC, 51AL, 73LP, 21

Alternate bars and chains

Bar Length	Hard Nose Bar	Roller Nose Bar	Sprocket Nose Bar	Pitch	3/8" Pitch .050" Gauge Type 72D	.404" Pitch .050" Gauge Type 50L
16"	17736		17441	3/8"	72D-60E	50L-54E
20"	17738		17442	3/8"	72D-70E	50L-64E
24"	17740	17430	20057	3/8"	72D-81E	50L-74E
28"		17431	20061	3/8"	72D-92E	50L-84E
30"			19889	.404"	72D-98E	50L-89E
32"			19892	.404"		50L-95E
36"						50L-106E

Alternate saw bars

32"	.063" Gauge	Sprocket Nose Bar	.404" Pitch	Part No. 20067
36"	.063" Gauge	Sprocket Nose Bar	.404" Pitch	Part No. 20070

Alternate chain types: 50C, 22, 20, 72LP, 50AL

Drums:	Raket 60, 601, M-62, M-621	Part No. 13060	STD 7
	75, 80, 751	Part No. 17344	STD 7
	110, 111	Part No. 20192	STD 7

JONSERED (Cont.)

MODELS: 50, 50S, 51, 51S

Bar Length	Hard Nose Bar	Sprocket Nose Bar	Pitch	3/8" Pitch .050" Gauge Type 72D	.325" Pitch .050" Gauge Type 20
16"	17720	17083	3/8"	72D-59E	20-66E
20"	17722			72D-68E	20-77E
24"				72D-81E	20-91E

Drums: Part No. 18242 Small 7 Spline

Alternate OEM chain lengths

Bar Length	3/8" Pitch .050" Gauge Type 73D	.325" Pitch .050" Gauge Type 21
16"	73D-60E	21-68E
20"	73D-71E	21-81E
24"	73D-82E	21-93E

Alternate chain types: 72D

Sprocket drums: Part No. 18242 Small 7 Spline

MODELS: 35, 35AO

Bar Length	1/4" Pitch .050" Gauge Type 102C	1/4" Pitch .050" Gauge Type 25
12"	102C-65E	25-65E
14"	102C-76E	25-76E
16"	102C-80E	25-80E
18"	102C-88E	25-88E

Drums: 35, 35AO

Part No. 19779 Small 9

JO-BU

MODEL: WEEK-ENDER

Bar Length	3/8" Pitch .058" Gauge Type 73D	3/8" Pitch .058" Gauge Type 23
15"	73D-56E	23-56E

MODELS: M-5, L-6, L-7

Bar Length	3/8" Pitch .058" Gauge Type 73D	.325" Pitch .058" Gauge Type 21
12"	73D-52E	21-59E
16"	73D-62E	21-68E
18"	73D-68E	21-75E
20"	73D-76E	21-82E

Alternate chain types: 23

MODELS: M-4, M-5/70, M-5/70AV, STARLET

Bar Length	.404" Pitch .063" Gauge Type 52AC
16"	52AC-56E
18"	52AC-62E
20"	52AC-68E
24"	52AC-76E

Alternate chain types: 27, 52L, 52AL

JO-BU (Cont.)

MODEL: D-94 TIGERS

Bar Length	Hard Nose Bar	Roller Nose Bar	.404" Pitch	1/2" Pitch
			.063" Gauge Type 52AC	.063" Gauge Type 10AC
16"	17744		52AC-62E	10AC-51E
18"	17746		52AC-71E	10AC-58E
22"	17748		52AC-82E	10AC-67E
26"		17413	52AC-95E	10AC-77E

Alternate chain types: 52L, 52AL, 27

LANCASTER

MODELS: 40L, 50HL, 60HL, 50SL, 65SL, 55HL, 55HLA, 65HLX DIRECT DRIVE

Bar Length		3/8" Pitch
		.050" Gauge Type 72D
16"		72D-59E
19"		72D-69E
24"		72D-90E

Alternate chain types: 22, 72DP, 20, 50C, 50L, 50AL, 28, 72LP

MODELS: 600HL, 700-HLC, 700-HLCA

Bar Length	Hard Nose Bar	Roller Nose Bar	3/8" Pitch	.404" Pitch
			.050" Gauge Type 72D	.050" Gauge Type 50L
16"	17730	11488	72D-59E	50L-54E
20"	17732		72D-69E	50L-63E
24"			72D-81E	50L-74E

Alternate chain types: 22, 72LP, 20, 50C, 50AL, 28

MODELS: 15-SL, 15-SLA, 20-SLA

Bar Length	Hard Nose Bar	3/8" Pitch
		.050" Gauge Type 12C
12"		12C-47E
14"	18397	12C-52E

L-M EQUIPMENT CO.

MODELS: POND & DECK SAWS, TYPE B.S. BARS

Bar Length	3/4" Pitch	3/4" Pitch
	.122" Gauge Type 11BC	.122" Gauge Type 11AC
46"	11BC- 80E	11AC- 80E
60"	11BC- 98E	11AC- 98E
77"	11BC-120E	11AC-120E
88"	11BC-134E	11AC-134E
98"	11BC-146E	11AC-146E
119"	11BC-174E	11AC-174E
144"	11BC-206E	11AC-206E

MODEL: TYPE D.E. BARS

Bar Length	3/4" Pitch	3/4" Pitch
	.122" Gauge Type 11BC	.122" Gauge Type 11AC
4'	11BC- 77E	11AC- 77E
5'	11BC- 92E	11AC- 92E
6'	11BC-107E	11AC-107E
7'	11BC-122E	11AC-122E
8'	11BC-138E	11AC-138E
9'	11BC-154E	11AC-154E
10'	11BC-168E	11AC-168E
12'	11BC-202E	11AC-202E

LOMBARD

MODELS: AL-41, SUPER AL-42, AL-51, COMANGO, COMANGO AO, LIGHTNING I, II, III, IV, V, GLP-500, GLP-500A, SUPER LIGHTNING, SUPER COMANGO, COMANGO AV, QUIKUT

Bar Length	Hard Nose Bar	3/8" Pitch	.404" Pitch
		.050" Gauge Type 72D	.050" Gauge Type 50C
12"		72D-48E	50C-43E
16"	17730	72D-59E	50C-54E
20"	17732	72D-69E	50C-64E
24"		72D-81E	50C-74E
28"		72D-92E	50C-84E

Alternate chain types: 22, 72LP, 50L

Drums: AL-41, SUPER AL-42, AL-51, COMANGO, COMANGO AO, LIGHTNING I, II, III, IV, V, GLP-500, GLP-500A, QUIKUT Part No. 68090 STD 7

MODELS: L50, SUPER L50, SUPER L60, SUPER L70, SUPER L90, SUPER L100, DIRECT DRIVE

Bar Length	.404" Pitch	7/16" Pitch
	.063" Gauge Type 52AC	.063" Gauge Type 62AC
15"	52AC-54E	62AC-51E
17"	52AC-62E	62AC-57E
21"	52AC-71E	62AC-65E
25"	52AC-82E	62AC-76E
30"	52AC-95E	62AC-87E
36"	52AC-108E	62AC-101E

Alternate chain types: 27, 52AL, 52L

MODEL: PONY

Bar Length	1/4" Pitch	1/4" Pitch
	.050" Gauge Type 102C	.050" Gauge Type 25
12"	102C-64E	25-64E
14"	102C-72E	25-72E
16"	102C-80E	25-80E

McCULLOCH

MODELS: 1-40 Series, 1-50 Series, 1-70 Series, D44, D44A, SUPER 44, D30, D36, 200, 250, 380, 440, 450, 300, 550, 740, 790, 795, 797, MAC-15, CP125, SP125, S-550, S-250 DIRECT DRIVE

Chain lengths for use with .063" gauge saw bars

Bar Length	Sprocket Nose Bar	Pitch	.404" Pitch	.404" Pitch
			.063" Gauge Type 52L	.063" Gauge Type 52AC
14"			52L-55E	52AC-55E
16"			52L-60E	52AC-60E
18"			52L-65E	52AC-65E
19"			52L-65E	52AC-65E
23"			52L-74E	52AC-74E
24"			52L-77E	52AC-77E
27"			52L-84E	52AC-84E
28"		.404"	52L-88E	52AC-88E
30"	19910	.404"	52L-94E	52AC-94E
31"			52L-95E	52AC-95E
32"			52L-100E	52AC-100E
36"	19913	.404"	52L-108E	52AC-108E
38"			52L-115E	52AC-115E
42"			52L-122E	52AC-122E

Chain lengths for use with .058" gauge saw bars

McCULLOCH (Cont.)

Bar Length	Hard Nose Bar	Roller Nose Bar	.404" Pitch .058" Gauge Type 51AC	3/8" Pitch .058" Gauge Type 73D
14"			51AC-55E	73D-59E
16"			51AC-60E	73D-66E
18"	17762		51AC-65E	
19"			51AC-65E	73D-71E
23"	19545		51AC-74E	73D-83E
24"			51AC-77E	
27"			51AC-84E	73D-93E
28"			51AC-88E	
30"		11463	51AC-94E	
31"			51AC-94E	73D-105E
32"			51AC-95E	
36"	11464		51AC-108E	73D-119E
38"			51AC-115E	
42"			51AC-122E	

Alternate chain types: 26, 27, 9AC, 9AL, 10AC, 51AL, 52AL

Drums:	Part No.	STD
D-30, D-36, 1-40, 1-42, 1-43, 1-45, 1-46, 1-50, 1-51, 1-52, 1-53, 200, 250	10608	STD 7
D-44, Super 44, 44A (44 series), 1-70, 1-71, 1-72, 1-75, 1-76	10624	STD 7
M-380, 300, 440, 450, 740, 790, 795, 797, 791, 550, CP125, SP-125	14036	STD 6

MODELS: 1-60 Series, 1-80 Series, 55A, S55A, 640, 650, 660, 840, 890, 895, 2-10G, 5-10G, SLG-2, SLG-6, G-70, MAC 35A, 35, 39, S-33, 33 GEAR DRIVE

Bar Length	Sprocket Nose Bar	1/2" Pitch .063" Gauge Type 10AC	.404" Pitch .063" Gauge Type 52L
16"		10AC-45E	52L-55E
19"		10AC-49E	52L-60E
20"		10AC-52E	52L-65E
24"		10AC-61E	52L-74E
26"		10AC-63E	52L-77E
28"		10AC-69E	52L-84E
30"		10AC-71E	52L-88E
32"	19910	.404" 10AC-76E	52L-94E
33"		10AC-77E	52L-95E
34"		10AC-81E	52L-100E
37"	19913	.404" 10AC-87E	52L-108E
38"		10AC-87E	52L-108E
40"		10AC-92E	52L-115E
44"		10AC-99E	52L-122E

Alternate chain types: 52AC, 52AL, 27

Bar Length	Hard Nose Bar	Roller Nose Bar	1/2" Pitch .058" Gauge Type 9AC	.404" Pitch .058" Gauge Type 51AC
16"			9AC-45E	51AC-55E
19"			9AC-49E	51AC-60E
20"	17762		9AC-52E	51AC-65E
24"	19545		9AC-61E	51AC-74E
26"			9AC-63E	51AC-77E
28"			9AC-69E	51AC-84E
30"			9AC-71E	51AC-88E
32"		11463	9AC-76E	51AC-94E
33"			9AC-77E	51AC-95E
34"			9AC-81E	51AC-100E
37"		11464	9AC-87E	51AC-108E
38"			9AC-87E	51AC-108E
40"			9AC-92E	51AC-115E
44"			9AC-99E	51AC-122E

Alternate chain types: 51AL, 9AL

Sprocket: **POWER MATE**
Gear Drive Adapter Part No. 16234
For all saws except SLG-2, SLG-6, and GP-70

McCULLOCH (Cont.)

MODELS: CP55, C070, SP80, PM-60 AND ALL MAC-10 SERIES DIRECT DRIVE

Bar Length	Hard Nose Bar	Roller Nose Bar	Sprocket Nose Bar	Pitch	3/8" Pitch .058" Gauge Type 73D	.354" Pitch .058" Gauge Type 45C
12"					73D-50E	45C-51E
16"	17754	11787		3/8"	73D-60E	45C-61E
20"	17756		17089	3/8"	73D-71E	45C-73E
24"	17758	11789	20051	3/8"	73D-82E	45C-84E
28"		11790	20054	3/8"	73D-93E	45C-95E
30"					73D-105E	
32"					73D-105E	
36"					73D-119E	

Alternate chain types: 51L, 20, 51AC, 23, 51AL

Alternate saw bars:

28"	.404" Pitch	Sprocket Nose Bar	Part No.	19904
30"	.404" Pitch	Sprocket Nose Bar	Part No.	19907
Drums:	1-10, 2-10, 2-10P/S, 3-10, 4-10, 3-10E, 5-10, 5-10E, 6-10, PM60, SP 8 1		Part No.	68209 STD 7
	6-10A0, 10-10, 10-10E, 10-10A0, Super 2-10A, CP70, CP55		Part No.	18459 Small 7
	SP80		Part No.	19226 STD 7

MODELS: MINI MAC 6, MINI MAC 6A, MINI MAC 1, POWER MAC 6, POWER MAC 6 DIRECT DRIVE, MINI MAC ELECTRIC

Bar Length	1/4" Pitch .050" Gauge Type 102C	1/4" Pitch .050" Gauge Type 25
12"	102C-64E	25-64E
14"	102C-72E	25-72E
16"	102C-80E	25-80E

MILWAUKEE ELECTRIC TOOL

MODELS: 6200, 6201 ELECTRIC

Bar Length	3/8" Pitch .050" Gauge Type 12C
16"	12C-56E
20"	12C-64E

MONO

MODELS: 47, 67, SL-147, SL-149, SL-249 DIRECT DRIVE

Bar Length	7/16" Pitch .063" Gauge Type 62AC	.404" Pitch .063" Gauge Type 52AC
16"	62AC-51E	52AC-55E
20"	62AC-60E	52AC-65E
24"	62AC-70E	52AC-75E
14" Bow	62AC-73E	52AC-79E

Alternate chain types: 52L, 52AL, 27, 75D

Bar Length	7/16" Pitch .058" Gauge Type 61AC	.404" Pitch .058" Gauge Type 51AC
18"	61AC-57E	51AC-62E
21"	61AC-66E	51AC-72E
24"	61AC-72E	51AC-78E

Alternate chain types: 51L, 51AL, 26, 73D, 73LP

MONO (Cont.)

Bar Length	7/16" Pitch .063" Gauge Type 62AC	.404" Pitch .063" Gauge Type 52L
17"	62AC-58E	52L-62E
21"	62AC-66E	52L-71E

Alternate chain types: 52AC, 52AL, 27

MODELS: 25-10, 25-14 ELECTRIC MODELS

Bar Length	3/8" Pitch .050" Gauge Type 12C
10"	12C-40E
14"	12C-52E

MODELS: 48, SL-145, SL-245, SL-246 DIRECT DRIVE

Bar Length	.404" Pitch .050" Gauge Type 50C	3/8" Pitch .050" Gauge Type 72D
12"	50C-43E	72D-48E
16"	50C-54E	72D-60E
18"	50C-61E	72D-67E
20"	50C-64E	72D-70E
21"	50C-70E	72D-77E

Alternate chain types: 50L, 50AL, 22, 72LP, 20

MONTGOMERY WARD

MODELS: TMC-24036B, TMC-24031A, TMC-24040A

Original Equipment Chain Lengths

Bar Length	3/8" Pitch .050" Gauge Type 72D	.404" Pitch .050" Gauge Type 50C
12"	72D-48E	50C-44E
15"	72D-56E	50C-52E
17"	72D-62E	50C-56E
19"	72D-68E	50C-61E
21"	72D-72E	50C-65E
23"	72D-78E	50C-71E
26"	72D-86E	50C-78E

Chain lengths for use with OREGON saw bars

Bar Length	Hard Nose	Roller Nose	Sprocket Nose	Pitch	3/8" Pitch .050" Gauge Type 72D	.404" Pitch .050" Gauge Type 50C
	Bar	Bar	Bar		Type 72D	Type 50C
15"	17736	17428	17441	3/8"	72D-60E	50C-55E
19"	17738	17429	17442	3/8"	72D-70E	50C-64E
23"	17740	17430	20057	3/8"	72D-81E	50C-74E

Alternate chain types: 22, 20, 72LP, 50L, 50AL, 28

Drums: TMC-24036B, TMC-24031A, TMC-24040A Part No. 10615 STD 7

MODELS: TMC-24000A, TMC-24002A

Bar Length	1/4" Pitch .050" Gauge Type 25	1/4" Pitch .050" Gauge Type 102C
12"	25-64E	102C-64E
14"	25-72E	102C-72E

MONTGOMERY WARD (Cont.)

MODELS: TMC-24033A, TMC-24032A, TMC-24035A

Bar Length	1/4" Pitch .050" Gauge Type 25	3/8" Pitch .050" Gauge Type 72D
12"	25-70E	72D-48E
15"	25-80E	72D-56E
17"	25-90E	72D-62E

Alternate chain types: 102C, 72LP, 22, 20

Drums: TMC-24033A, TMC-24035A, TMC-24032A Part No. 19047 STD 7

ORLINE

MODELS: MARK 11-D, 11-S

Bar Length	Hard Nose	3/8" Pitch .050" Gauge Type 20
14"	18397	20-60E
16"		20-66E

MODELS: 13, 129

Bar Length	Hard Nose	3/8" Pitch .050" Gauge Type 12C
12"		12C-47E
14"	18397	12C-52E

PARTNER

MODELS: R-16, R-17, R-18, R-18T, R-19, R-20, R-21

Bar Length	3/8" Pitch .058" Gauge Type 73D	.404" Pitch .058" Gauge Type 51L
12"	73D-48E	51L-45E
13"	73D-52E	51L-48E
15"	73D-56E	51L-51E
18"	73D-65E	51L-61E
22"	73D-75E	51L-68E

Alternate chain types: 23, 51AC, 51AL, 26, 21

Drums: Model R-16, R-17, R-18

Part No. 12667 STD 7

MODELS: R-11, R-12, R-14, TS, R-30, R-40

Bar Length	.404" Pitch .063" Gauge Type 52AC	3/8" Pitch .063" Gauge Type 75D
15"	52AC-52E	75D-56E
18"	52AC-59E	75D-65E
22"	52AC-70E	75D-74E
26"	52AC-80E	75D-89E

Alternate chain types: 27, 52L, 52AL

Drums: R-14, R-14S, R-14T
R-11, R-12

Part No. 12154 STD 7
Part No. 12677 STD 7

PIONEER

MODELS: NU-17, 400, 450, 550, 600, 620, 650, 700, 700D, 750, 1100, 1110, 1120, 1130, 1150, 1160, WILDCAT 1, 1200, 1410, 1420, HOLIDAY G, HOLIDAY GT, HOLIDAY GTA, 1560, 1750, 1850, 2200, 2270, 2400, 2460, 3071, 3200, 3270

Bar Length	Hard Nose Bar	3/8" Pitch	.404" Pitch
		.058" Gauge Type 73D	.058" Gauge Type 51AC
12"		73D-53E	
16"	17824	73D-61E	51AC-56E
20"	17826	73D-70E	51AC-64E
24"	17828	73D-79E	51AC-72E
28"		73D-92E	51AC-84E
32"		73D-111E	51AC-100E

Alternate chain types: 23, 51L, 26, 73LP

Drums: 700, 1750, 14 series, 11 series, 2400 series Part No. 16251 STD 7

11-10, 11-20, 11-30, WILDCAT No. 1, HOLIDAY Part No. 16225 STD 7

NU-17, 400, 450, 410, 600, 620, 650, Super 620 H.J.R. Series Part No. 16225 STD 7

MODELS: 1073, 2071, 2073

Bar Length	3/8" Pitch	.325" Pitch
		.050" Gauge Type 72D
14"	72D-53E	20-60E
16"	72D-61E	20-69E

Alternate chain types: 25, 22, 72LP

POULAN

MODELS: 53, 53A, 65, 67, 71, 71A, 85

Bar Length	Hard Nose Bar	.404" Pitch	7/16" Pitch
		.063" Gauge Type 52AC	.063" Gauge Type 62AC
19"	18647	52AC-63E	62AC-58E
23"	18649	52AC-74E	62AC-68E
27"		52AC-83E	62AC-77E
31"		52AC-93E	62AC-86E
13" Bow		52AC-71E	62AC-66E

Alternate chain types: 27, 52L, 52AL

Drums: 53A, 71A Part No. 19638 STD 7

31, KD-31, 41, 43, 45, 47, 51, 61, 63, 65, Super 31, Super 33, 53, 71 Part No. 10614 STD 7

MODELS: 25D, 250A

Bar Length	1/4" Pitch	1/4" Pitch
		.050" Gauge Type 25
12"	25-65E	102C-65E
14"	25-76E	102C-76E

Drums: 25D, 250A Part No. 19779 Small 9

MODELS: 200, 300, 400, SERIES, 31, S31, S33, 47

Bar Length	Hard Nose Bar	3/8" Pitch	.404" Pitch
		.050" Gauge Type 72D	.050" Gauge Type 85
12"		72D-44E	85-44E
16"	17730	72D-61E	85-55E
20"	17732	72D-72E	85-65E
24"		72D-82E	85-74E
12" Bow		72D-80E	

POULAN (Cont.)

Alternate chain types: 20, 22, 28, 50C, 50L, 50AL

Drum: 400, 400 Auto, 360, 401, 450 Auto, 451, 361, 306 P.S., 306A, 245A Part No. 10617 STD 7

MODELS: 54, S68, 72, S66, 252A, 252, 86, 92, 32, 48, 68, 85, S68

Bar Length	Hard Nose Bar	Roller Nose Bar	1/2" Pitch	7/16" Pitch
			.063" Gauge Type 10AC	.063" Gauge Type 62AC
15"			10AC-43E	62AC-49E
19"	18643		10AC-52E	62AC-59E
23"	18645		10AC-60E	62AC-68E
27"			10AC-68E or 69E	62AC-77E
31"			10AC-76E	62AC-86E

BOW BARS

12"		10AC-57E	62AC-64E
13"			62AC-73E
14"		10AC-64E	62AC-70E
15"		10AC-62E	
16"			62AC-80E
17"		10AC-71E	
18"		10AC-72E	

Alternate chain types: 52AC, 52L, 52AL, 27, 75D

REMINGTON (DESA)

MODELS: GL7, SL5, BANTAM, SUPER 65, SUPER 75, SUPER 75A, PRO 88 SL, SUPER 660, SUPER 770, SUPER 880, SUPER 990, SUPER 754, PL-6, PL-6A DIRECT DRIVE

Bar Length	.404" Pitch	.404" Pitch
		.058" Gauge Type 51AC
13"	51AC-52E	26-52E
17"	51AC-62E	26-62E
21"	51AC-72E	26-72E
24"	51AC-78E	26-78E
31"	51AC-95E	26-95E
37"	51AC-112E	26-112E

Alternate chain types: 51L, 51AL, 61AC

Drums: BANTAM, SUPER 65, 75, 75A, 660, 663, 760, 770, PL-6 Part No. 10619 STD 7

MODELS: BANTAM G, SUPER 75G, SUPER 660G, SUPER 770G, SUPER 990G GEAR DRIVE

Bar Length	1/2" Pitch	7/16" Pitch
		.058" Gauge Type 9AC
18"	9AC-50E	61AC-57E
22"	9AC-57E	61AC-65E
24"	9AC-63E	61AC-72E
31"	9AC-77E	61AC-88E
38"	9AC-90E	61AC-102E
41"	9AC-96E	61AC-109E

Alternate chain type: 9AL

MODELS: PL-4, SL-11, SL-11A, PL-55, PL-55A

Bar Length	3/8" Pitch	.404" Pitch
		.050" Gauge Type 72D
12"	72D-48E	50C-44E
15"	72D-56E	50C-52E
17"	72D-62E	50C-56E
19"	72D-68E	50C-61E
21"	72D-72E	50C-65E
23"	72D-78E	50C-71E
26"	72D-86E	50C-78E

REMINGTON (DESA) (Cont.)

Drive Link Count with OREGON Bars

Bar Length	Hard Nose	Roller Nose	Sprocket Nose	Pitch	3/8" Pitch	.404" Pitch
	Bar	Bar	Bar		Type 72D	.050" Gauge Type 50C
15"	17736		17441	3/8"	72D-60E	50C-55E
19"	17738		17442	3/8"	72D-70E	50C-64E
23"	17740	17430	20057	3/8"	72D-81E	50C-74E
27"		17431	20061	3/8"	72D-93E	50C-84E

Alternate chain types: 22, 20, 72LP, 50L, 50AL, 28

Drums: PL-4, PL-5, PL-55 Part No. 10615 STD 7

MODELS: MIGHTY MITE, MIGHTY MITE AUTO

Bar Length	1/4" Pitch	1/4" Pitch
	.050" Gauge Type 25	.050" Gauge Type 102C
12"	25-64E	102C-64E
14"	25-72E	102C-72E

MODELS: SL9, SL9 DELUXE, SL-10, SL-10A

Bar Length	1/4" Pitch	3/8" Pitch
	.050" Gauge Type 25	.050" Gauge Type 72D
12"	25-70E	72D-48E
15"	25-80E	72D-56E
17"	25-90E	72D-62E

Alternate chain types: 102C, 72LP, 22, 20

Drums: SL9, SL9 DELUXE, SL-10, SL-10A Part No. 19047 STD 7

SEARS ROEBUCK

MODELS: 351380, -90; 351970, -80 POWER-SHARP

Bar Length	.325" Pitch
	.050" Gauge Type 87
17"	87-71E
21"	87-82E

MODELS: 60049, -57, -58; 63201, -02, -04, -07, -08; 350250, -60; 350710, -11, -20; 351040, -50, -60, -70, -80, -90; 351250, -60; 351140, -50, -60, -70, -80, -90; 352020, -21, -30, -31; 352120, -30, -31; 351750, 351870

Bar Length	3/8" Pitch	.325" Pitch
	.050" Gauge Type 72D	.050" Gauge Type 20
15"	72D-57E	20-64E
17"	72D-63E	20-71E
21"	72D-73E	20-82E

Alternate chain types: 22, 50C, 50L, 72LP

SEARS

ROEBUCK (Cont.)

MODELS: ALL COMPACT GAS AND ELECTRIC SAWS

Bar Length	Hard Nose	3/8" Pitch	.325" Pitch	1/4" Pitch
	Bar	.050" Gauge Type 12C	.050" Gauge Type 87	.050" Gauge Type 102C
10"		12C-48E		
12"				102C-66E
14"	18397	12C-52E	87-59E	102C-74E

MODELS: "LITTLE BEAVER" 35162, 35164

Bar Length	1/4" Pitch	1/4" Pitch
	.050" Gauge Type 102C	.050" Gauge Type 25
14"	102C-66E	25-66E

SKIL

MODELS: 605, 606 ELECTRIC

Bar Length	3/8" Pitch
	.050" Gauge Type 12C
14"	12C-52E
20"	12C-68E

MODELS: CANADIEN 1631, 1644, 1645, 1660, 1661, 1670, 1680 DIRECT DRIVE

Bar Length	.404" Pitch	3/8" Pitch
	.058" Gauge Type 51AC	.058" Gauge Type 73D
12"	51AC-44E	73D-49E
15"	51AC-52E	73D-57E
18"	51AC-60E	73D-66E
20"	51AC-64E	73D-70E
24"	51AC-76E	73D-83E
30"	51AC-92E	73D-101E
32"	51AC-100E	
36"	51AC-104E	

Alternate chain types: 73LP, 23, 51L, 51AL

MODELS: 1685, 1686, 1687 GEAR DRIVE

Bar Length	1/2" Pitch
	.058" Gauge Type 9AC
18"	9AC-50E
20"	9AC-54E
24"	9AC-62E
30"	9AC-74E
32"	9AC-81E
36"	9AC-84E
42"	9AC-100E

MODELS: BANTAM BRUTE, 1610, 1612, 1600 ELECTRIC

Bar Length	1/4" Pitch	1/4" Pitch
	.050" Gauge Type 25	.050" Gauge Type 102C
12"	25-64E	102C-64E
14"	25-72E	102C-72E
16"	25-80E	102C-80E

SOLO

MODELS: 70, 70A, 604, 626, 635, 642, TWIN, REX 125

Bar Length	.404" Pitch .063" Gauge Type 52AC	.404" Pitch .063" Gauge Type 27
16"	52AC-61E	27-61E
17"	52AC-63E	27-63E
21"	52AC-72E	27-72E
25"	52AC-82E	27-82E
30"	52AC-96E	27-96E

Alternate chain types: 52L, 52AL, 62AC

Drum: 626, Twin, 635, 642 Part No. 12643 STD 7

MODELS: 640, 641, 645, 620VA, 644VA, 650VA, 649 ELECTRIC

Bar Length	3/8" Pitch .050" Gauge Type 72D	.325" Pitch .050" Gauge Type 20
14"	72D-55E	20-63E
16"	72D-60E	20-69E
20"	72D-71E	20-81E

Alternate chain types: 22, 72LP

MODELS: 50, 630, 632

Bar Length	.404" Pitch .063" Gauge Type 52AC	.404" Pitch .063" Gauge Type 27
13"	52AC-48E	27-48E
15"	52AC-56E	27-56E
16"	52AC-61E	27-61E

Alternate chain types: 52L, 52AL, 75D

MODELS: REX 125, SUPER REX, 604

Bar Length	7/16" Pitch .063" Gauge Type 62AC	.404" Pitch .063" Gauge Type 52AC
17"	62AC-58E	52AC-63E
21"	62AC-66E	52AC-72E
25"	62AC-76E	52AC-82E
30"	62AC-88E	52AC-95E

Alternate chain types: 52L, 52AL, 27

STIHL

MODELS: D24, LIGHTNING, SUPER D24, 070, 090, CONTRA, 050AV, 051AV, 07, 08, 07S, 08S, S-10, DIRECT DRIVE

Bar Length	Hard Nose Bar	Roller Nose Bar	Sprocket Nose Bar	Pitch	.404" Pitch .063" Gauge Type 52AC	1/2" Pitch .063" Gauge Type 10AC
17"					52AC-64E	10AC-52E
17"					52AC-60E	10AC-49E
21"					52AC-72E	10AC-58E
21"					52AC-68E	10AC-55E
25"	17830				52AC-80E	10AC-66E
30"	17808	18715	19916	.404"	52AC-92E	10AC-74E
33"	18941	12681	19919	.404"	52AC-100E	10AC-80E
36"		12682	19922	.404"	52AC-109E	10AC-88E

Alternate chain types: 27, 52AL, 52L, 75D

Drums: Contra, Lightning, D-24, 070, 075 Part No. 10612 STD 7
08, 08S, S-10 Part No. 10625 STD 7
090 with 4" Clutch Part No. 12004 STD 7
050 AV, 051 AV Part No. 20925 STD 7

MODELS: 030 AV, 031 AV, 040, 041, 041AV, 045AV ELECTRONIC, E-15 ELECTRIC DIRECT DRIVE

Bar Length	Hard Nose Bar	Sprocket Nose Bar	Pitch	3/8" Pitch .050" Gauge Type 72D	.404" Pitch .050" Gauge Type 50C
16"	17784	17092	3/8"	72D-60E	50C-56E
20"	17786	18150	3/8"	72D-72E	50C-65E
24"	17788	20137	3/8"	72D-84E	50C-76E
28"		20140	3/8"	72D-91E	50C-83E

Alternate chain types: 22, 28, 50L, 50AL, 72LP

Alternate Sprocket Nose Bars:


Called Length	Bar No.	Pitch
24"	20143	.404"
28"	20146	.404"

Drum: 030AV, 031AV Part No. 18200 STD 7
040, 041, 041AV Part No. 13916 STD 7
045, 045AV Part No. 20879 STD 7


MODEL: 020

Bar Length	1/4" Pitch .050" Gauge Type 25	1/4" Pitch .050" Gauge Type 102C
12"	25-64E	102C-64E
16"	25-80E	102C-80E
20"	25-96E	102C-96E


OREGON ACCESSORIES



Top File Guide For hand sharpening Oregon 80 chain. Simple, precise. Clamps on saw bar for accurate cutter and depth gauge filing.



Pocket Chain Breakers Anvil and punch for making chain repairs. Several models, each with multiple slot for various sizes of chain.




File Holders It's easy to sharpen Oregon chain professionally with these. New flat file holders now available. Correct filing angles are marked to guide you. Made in several sizes for all pitch chains.



Grease Guns Pocket-size guns with needle nozzle for lubricating Oregon roller and sprocket nose bars.




Files Medallion files feature a spiral design for smooth cutting. Special heat-treated Swedish steel for long life. Made in a variety of sizes. A must for your saw chain.




Bar Nose Replacements

Roller nose and sprocket nose replacement kits for Oregon guide bars. Available in same sizes as original noses. Includes rivets and instructions.



Depth Gauge Jointers

Maintain proper depth gauge setting quickly and accurately for most efficient chain operation. One adjustable model for all chain sizes and five single-setting models from .020" to .040".



Bench Chain Breaker

Removes rivets fast. Reduces chain damage, saves tie straps.

Hand Rivet Spinner

Spins saw chain rivet heads to match factory-spun rivets of a new chain.

- NOTES -

Leon's Chainsaw Parts & Repair
Do Not Sell Or Reproduce

**OREGON Saw Chain
Division**



OMARK[®]
INDUSTRIES

Leon's Chainsaw Parts & Repair
Do Not Sell Or Reproduce